

## E20-361<sup>Q&As</sup>

Network Attached Storage (NAS) Implementation Exam

**Pass EMC E20-361 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-361.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

A new DNS server has been added to the current domain. How do you add the new server to the Data Mover in Unisphere?

- A. On the DNS tab of the Network Settings, add the new server's IP address to the current DNS domain.
- B. On the DNS tab of the Network Settings, create a new domain with the server's IP address.
- C. On the NIS tab of the Network Settings, create a new domain with the server IP address.
- D. On the NIS tab of the Network Settings, add the new server IP address to the NIS domain.

Correct Answer: A

---

## QUESTION 2

You are implementing an NFS solution for five clients. Four clients can read and write to the export but only one can read.

What action should be taken so that the read-only client can read and write to the export?

- A. Add it to the "Root Host" or "read/write Host" security option
- B. Clear the "Host access read only export" checkbox
- C. Remove it from the "Read-Only Host" security option
- D. Remove it from the "Access-Host" security option

Correct Answer: A

---

## QUESTION 3

You are installing a Celerra gateway to an existing Symmetrix back end. Which statement describes the Fibre Channel connectivity from the Data Movers to the Symmetrix?

- A. Each Data Mover has dual fabric connections to the Symmetrix.
- B. Each Data Mover has dual direct connections to the Symmetrix.
- C. Each Data Mover has a dual fabric connection to a single Symmetrix FA port.
- D. Each Data Mover has two single direct connections into two Symmetrix FA ports.

Correct Answer: A

---

## QUESTION 4

Which improvement is made when converting an NS gateway system direct-connect to a fabric- connect?

- A. BE port utilization
- B. BE redundancy
- C. FE port utilization
- D. FE redundancy

Correct Answer: C

---

## QUESTION 5

What has the attributes listed below? Attributes:

\*

File access

\*

File and record locking

\*

Safe caching

\*

File change notification

\*

Protocol version negotiation

A.

CIFS

B.

FTP

C.

IPX

D.

NFSv3

Correct Answer: A

[Latest E20-361 Dumps](#)

[E20-361 PDF Dumps](#)

[E20-361 VCE Dumps](#)