

E20-375^{Q&As}

RecoverPoint Specialist Exam for Implementation Engineers

Pass EMC E20-375 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-375.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A customer wants to implement a two-node RecoverPoint solution with local replication. How many IP addresses are required for each cluster?

- A. 2
- B. 3
- C. 4
- D. 5

Correct Answer: D

QUESTION 2

You are installing RecoverPoint/SE, and have selected the automatic zoning option. There are four VNX ports in each fabric.

How many zones are automatically created on each fabric for a two-node RPA cluster?

- A. 2
- B. 3
- C. 4
- D. 5

Correct Answer: A

QUESTION 3

When modifying a cluster's settings, what value can be changed from the Environment Settings screen in Deployment Manager?

- A. Cluster Name
- B. IP Type
- C. Cluster Management IP
- D. Additional Gateways

Correct Answer: A

QUESTION 4

For a RecoverPoint system with multiple clusters, how many gatekeepers are needed for each VMAX splitter/RecoverPoint-cluster combination?

- A. 2
- B. 8
- C. 4
- D. 16

Correct Answer: D

QUESTION 5

A customer is evaluating the deployment of RecoverPoint with their VNX array. They want to deploy the RPAs in virtual appliance form. They ask your opinion about using vRPA versus physical appliances.

What should you advise them?

- A. They cannot mix physical and virtual RPAs within their RPA cluster.
- B. For performance reasons, they can mix vRPAs and physical RPAs in the remote RPA cluster.
- C. vRPAs cannot be used in a VNX environment.
- D. They can mix vRPA and physical RPAs in the same RPA cluster at all sites.

Correct Answer: A

[Latest E20-375 Dumps](#)

[E20-375 VCE Dumps](#)

[E20-375 Study Guide](#)