

## E20-377<sup>Q&As</sup>

RecoverPoint/SE Specialist Exam for Implementation Engineers

**Pass EMC E20-377 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-377.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which document should a EMC customer consult if there are questions about a system design during an SRDF/A engagement?

- A. Configuration Guide
- B. Level of Effort
- C. Practitioner's Guide
- D. Scope Document

Correct Answer: A

---

## QUESTION 2

An SRDF/A session are active, and the device pairs are in a consistent state. What will happen if there is a temporary loss of all links?

- A. RPO will increase.
- B. SRDF/A will drop.
- C. Devices will go into Synchronous mode.
- D. Devices will go into a Partitioned state.

Correct Answer: A

---

## QUESTION 3

Which device is used as a gatekeeper to the Auto provisioning database?

- A. ACLX
- B. VCM
- C. DATADEV
- D. SAVEDEV

Correct Answer: A

---

## QUESTION 4

One of the requirements during an Open Replicator implementation is to provide all available resources to Open Replicator. How should the Pace and Ceiling values be configured?

- A. Pace and Ceiling should be left at the default.
- B. Pace should be set to 0 and Ceiling set to 100.
- C. Pace should be set to 9 and Ceiling set to 0.
- D. Pace should be set to 9 and Ceiling set to NONE.

Correct Answer: B

---

## QUESTION 5

With the DMX-3 and DMX4, where is the VCM database stored?

- A. Symmetrix Logical Volume
- B. Symmetrix File System
- C. Symmetrix Virtual Device
- D. Symmetrix VCM Device

Correct Answer: B

[Latest E20-377 Dumps](#)

[E20-377 Exam Questions](#)

[E20-377 Braindumps](#)