

E20-393^{Q&As}

Unity Solutions Specialist Exam for Implementation Engineers

Pass EMC E20-393 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-393.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the size of a Private LUN slice?

- A. 8 KB
- B. 64 KB
- C. 256 MB
- D. 1024 MB

Correct Answer: C

Reference: https://www.dell.com/resources/en-us/asset/white-papers/products/storage/h16289-dell_emc_unity-dynamic_pools.pdf

QUESTION 2

What can be used to initially configure a static management IPv6 address on a Dell EMC Unity array?

- A. symcli
- B. navisecCLI
- C. uemcli
- D. initCLI

Correct Answer: C

Reference: <https://www.dell.com/en-us/documentation/unity-family/unity-p-cli-user-guide/03-unity-cli-br-configure-network-communication.htm>

QUESTION 3

A system administrator has added a new Unity storage array to their environment. The administrator wants to migrate block data from vVNX running in their VMware environment to a UnityVSA. In addition, the administrator needs to migrate the block data from an older CLARiiON storage array to the new Unity storage array.

Which single block migration option will work for both the virtual and hardware storage devices?

- A. SAN Copy Push
- B. VPLEX
- C. Host-Based LVM
- D. RecoverPoint

Correct Answer: A

You move Block storage from a CLARiiON CX or VNX Series storage system to an EMC Unity system.

Note: Clariion (styled CLARiiON) is a discontinued [1] SAN disk array manufactured and sold by EMC Corporation, it occupied the entry-level and mid-range of EMC's SAN disk array products. In 2011, EMC introduced the EMC VNX Series, designed to replace both the Clariion and Celerra products.

Incorrect Answers:

D: EMC RecoverPoint protects storage arrays LUNs and provides concurrent local and multiple remote data replication copies with continuous data protection for any PiT Recovery. It supports EMC VMAX 10K, 20K, 40K, VNX, VNXe3200, VNX-F, VPLEX, XtremIO and 3rd party arrays via VPLEX.

QUESTION 4

A Unity customer has a 20 TB pool consisting of SAS and NL-SAS drives. Based on Dell EMC best practices, what is the minimum recommended amount of Flash capacity they should use for a Flash tier?

- A. 1 TB
- B. 2 TB
- C. 4 TB
- D. 10 TB

Correct Answer: A

References: <https://www.emc.com/collateral/white-papers/h15093-dell-emc-unity-best-practices-guide.pdf>

QUESTION 5

What is the minimum memory requirement for a host running VMware ESXi 6.0 to support the deployment of a UnityVSA system?

- A. 8 GB
- B. 12 GB
- C. 16 GB
- D. 18 GB

Correct Answer: B

A minimum of 12 GB RAM per UnityVSA VM is recommended.

References: <https://www.emc.com/collateral/TechnicalDocument/docu69316.pdf> (page 2)