

E20-517^{Q&As}

Symmetrix Solutions Specialist Exam for Storage Administrators

Pass EMC E20-517 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-517.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which Symmetrix VMAX Enginuity feature can be only managed by Unisphere for VMAX compared to Symmetrix Management Console?

- A. FAST VP for CKD Volumes
- B. TimeFinder/Snap
- C. Auto Provisioning
- D. Federated Live Migration (FLM)

Correct Answer: A

QUESTION 2

A customer wants to create 4 copies of a LUN per day and they want to implement clones. They establish each clone session at fixed intervals of 6 hours, starting at midnight, then at 6AM, then at noon and finally at 6PM.

They are concerned that it will take too long from creating each session to the point where they can actually start using the data on the clone.

What should be done so the clones can be used as quickly as possible?

- A. The clone is immediately usable after activating the session
- B. The "Recreate" option should be used instead of the "create" option
- C. The "CopyOnAccess" option should be added to the command
- D. The "Precopy" option should be added to the command

Correct Answer: A

QUESTION 3

A customer wants to deploy SRDF/S between a pair of Symmetrix VMAX arrays. The R1/R2 devices will be RAID-1 protected. Two RAID-1 BCVs will be concurrently established with the R1 device.

How many mirror positions will remain for the R1 devices in this configuration?

- A. 0
- B. 1
- C. 2
- D. 3

Correct Answer: C

QUESTION 4

An EMC Implementation Engineer (IE) is performing routine maintenance on a Symmetrix attached host environment. The IE needs to find out which patches have been installed on a specific HP-UX host.

Which command should be used?

A. # swlist

Correct Answer: A

QUESTION 5

If the default values in Unisphere for VMAX are not changed, which value will trigger a critical alert for Thin Device Usage?

A. 15

B. 40

C. 80

D. 100

Correct Answer: C

[E20-517 PDF Dumps](#)

[E20-517 Study Guide](#)

[E20-517 Braindumps](#)