

## E20-542<sup>Q&As</sup>

VMAX3 Solutions and Design Specialist Exam for Technology Architects

**Pass EMC E20-542 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-542.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You are in the process of installing a new VMAX3 solution. One of the workloads will be replicated with TimeFinder SnapVX. Workload Details: Capacity = 10000 GiB IOPS = 400 Change Rate = 25% Mounted Snaps = 2 Mounted Copy IOPS = 20 How much additional capacity will the VMAX Series account for with this workload due to SnapVX?

- A. 2000 GiB
- B. 2500 GiB
- C. 3000 GiB
- D. 10000 GiB

Correct Answer: B

---

**QUESTION 2**

You are discussing the design of a VMAX3 solution with a customer. The customer wants information about the performance data collected for FAST.

At which levels are FAST performance metrics collected on the array?

- A. Disk Group, Storage Group, thin device sub-LUN
- B. Disk, Data Pool, Storage Resource Pool
- C. Disk Group, Data Pool, thin device sub-LUN
- D. Data Pool, Storage Resource Pool, Storage Group

Correct Answer: A

---

**QUESTION 3**

A storage administrator wants to add new volumes to an existing VMAX3 Storage Group. The new volumes need to have a different SLO than the existing Storage Group. What will happen when the new volumes are added to the existing VMAX3 Storage Group?

- A. New volumes will inherit the SRP and SLO set on the existing Storage Group.
- B. Job to add the new volumes to the existing Storage Group will fail.
- C. New volumes will retain the default SRP and SLO when they are added to the Storage Group.
- D. Job to add the new volumes will issue a warning and then add the new volumes to the Storage Group.

Correct Answer: A

---

**QUESTION 4**

A TimeFinder SnapVX snapshot of the Storage Group containing four devices is created at 10 AM. The storage administrator adds another device to this Storage Group at 2 PM. A second snapshot of the Storage Group is created at 3 PM. The 3 PM snapshot is used to perform a restore operation at 4 PM. What will be the status of the newly added device after the restore operation?

- A. Read/Write Enabled
- B. Not Ready
- C. Write Disabled
- D. Failed

Correct Answer: A

---

**QUESTION 5**

A VMAX3 parent Storage Group (SG) contains two child SGs: SG1 and SG2. What is a valid Host I/O bandwidth limit setting for this configuration?

- A. Parent SG - 400 SG1 - 500, SG2 - 200
- B. Parent SG ?400 SG1 - 500, SG2 - NOLIMIT
- C. Parent SG ?500 SG1 - 500, SG2 - 400
- D. Parent SG ?500

SG1 - NOLIMIT, SG2 - 1000

Correct Answer: C

[Latest E20-542 Dumps](#)

[E20-542 Study Guide](#)

[E20-542 Braindumps](#)