

E20-542^{Q&As}

VMAX3 Solutions and Design Specialist Exam for Technology Architects

Pass EMC E20-542 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-542.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A VMAX3 Storage Group has Host I/O limits set at 10,000 IOPs. The Port Group contains four ports across different directors. The Dynamic Distribution is set to "OnFailure". What is the maximum IOPs the Storage Group can achieve in the event a switch port being used by one of the director ports fails but the director remains online?

- A. 5,000
- B. 7,500
- C. 9,000
- D. 10,000

Correct Answer: B

QUESTION 2

What is a consideration when designing an SRDF/A solution between a VMAX3 array and an older VMAX 40K array?

- A. SRDF/A will run in legacy mode.
- B. SRDF/A MSC is not supported.
- C. SRDF/A DSE is automatically enabled on both arrays.
- D. SRDF/A DSE pools must be configured on both arrays.

Correct Answer: A

QUESTION 3

Which types of authentication are supported by Unisphere for VMAX?

- A. Local Directory, Windows (local and domain-based), and LDAP
- B. Local Directory, Windows (local and domain-based), and RADIUS
- C. Local Directory, Windows (local and domain-based), and CHAP
- D. Local Directory, Windows (local and domain-based), and Secure Service Credential

Correct Answer: C

QUESTION 4

A customer has an existing Maskini View on a VMAX3 for a large server cluster. The parent Storage Group in this Maskini View has several child Storage Groups with different SLOs. The customer has determined that they need to add additional capacity to the cluster. When the storage administrator attempts to add devices directly to the parent Storage

Group, the administrator receives an error and the operation fails. What is a potential cause of the error?

- A. Adding devices and Storage Groups to the same parent Storage Group is not permitted.
- B. A Storage Group must not be in a Masked View to be modified.
- C. Cluster is exceeding the assigned Host I/O limit.
- D. Devices are not yet associated with an SLO policy.

Correct Answer: A

QUESTION 5

You are designing SRDF/S over Fibre Channel between two VMAX3 arrays. The production and remote data centers are 100 km apart. What is the expected write response time delay due to latency?

- A. 0.25 ms
- B. 0.5 ms
- C. 1 ms
- D. 2 ms

Correct Answer: C

[E20-542 Practice Test](#)

[E20-542 Study Guide](#)

[E20-542 Exam Questions](#)