

E20-807^{Q&As}

Expert - VMAX All Flash and VMAX3 Exam

Pass EMC E20-807 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-807.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Refer to the Exhibit.

Workload

Cascaded SRDF has been deployed on VMAX3 has been deployed on VMAX3 arrays. The SRDF mode has been set to Asynchronous between Sites A and B.

Which SRDF mode is permitted between Sites B and C?

- A. Adaptive Copy Write Pending
- B. Synchronous
- C. Adaptive Copy Disk
- D. Asynchronous

Correct Answer: C

QUESTION 2

An organization plans to implement a VMAX3 solution using a two tier configuration. They are sensitive to data loss. the array will include:

10 x Flash drives 144 x 10k drives Based on Dell EMC recommended best practices, how should the 10K drives be configured?

- A. 1 group RAID 6 (14+2)
- B. 2 groups RAID 6 (6+2)
- C. 2 groups RAID 5 (7+1)

D. 4 groups RAID 5 (3+1)

Correct Answer: B

QUESTION 3

How can TDEVs be moved between the SRPs when using FAST.X?

- A. By associating the TDEVs with a different SLO
- B. By changing the Virtual Pool for the TDEVs
- C. By changing the SRP associated with the storage group
- D. By using Virtual LUN Migration

Correct Answer: C

Reference: <https://czech.emc.com/collateral/technical-documentation/h14568-fast.x-design-bestpractices-tech-note.pdf> (19)

QUESTION 4

Alerts are required to track high I/O response times for a specific storage group. I/O response times greater than 15 ms require next day analysis. I/O response times greater than 20 ms require immediate intervention.

Which alert settings are required?

- A. 1st level

Correct Answer: A

QUESTION 5

A VMAX3 storage group is not SLO compliant. No changes to the application I/O profile have occurred.

Which factor may be responsible for the SLO compliance impact?

- A. storgnsd daemon was enabled
- B. Host queue depth setting was changed
- C. Increase write activity from the application
- D. Increased activity from other storage groups sharing the same ports/directions

Correct Answer: D

[E20-807 VCE Dumps](#)

[E20-807 Exam Questions](#)

[E20-807 Braindumps](#)