

## E20-885<sup>Q&As</sup>

VNX Solutions Expert Exam for Implementation Engineers

**Pass EMC E20-885 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-885.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer plans to replicate the active database copy of an Exchange Server 2010 DAG (Database Availability Group) to their warm DR site using RecoverPoint/CRR. The Exchange server hosts a total of seven databases, and the sites are within eight km of each other. Which guideline must be followed for the solution to function as expected?

- A. "Database Reads (Recovery) Average Latency" should be below 50 ms.
- B. "Database\Log Record Stalls per second" should be below 10 per second
- C. "Database\Log Record Stalls per second" spikes should be below 50 per second
- D. "Database Reads (Recovery) Average Latency" spikes should be below 500 ms.

Correct Answer: B

---

**QUESTION 2**

A customer plans to connect ESXi 5.0 hosts to a new EMC VNX array. They want to take advantage of the hardware-assisted locking feature in VAAI. Which is a feature of hardware-assisted locking?

- A. Locking at the block level of a logical unit
- B. Locking the LUN instead of the block level
- C. Accessing a block from multiple hosts at the same time
- D. Automatic enabling of safe data caching

Correct Answer: A

---

**QUESTION 3**

A company has two locations and wants to implement a DR solution for their Exchange databases. The following requirements factor into their SLA:

- Multi-application support.
- Continuous replication with zero data loss.
- Minimal replication load on application host.
- Support a distance of 60 km.

Which DR solution meets the SLA requirements?

- A. MirrorView/A
- B. DAG
- C. Sync-API

D. RecoverPoint/S

Correct Answer: D

---

#### QUESTION 4

How many VNX arrays can be used to source replication volumes for a single RP/SE cluster using vRPAs?

A. One

B. Unlimited, as long as a license file is installed for each VNX

C. Two, with no constraints

D. Two, as long as the amount of data replicated does not exceed the amount licensed

Correct Answer: A

---

#### QUESTION 5

What do primary and standby Control Stations use to monitor each other?

A. nasmcd

B. shared quorum disk

C. nbsnas

D. nasdb

Correct Answer: B

[Latest E20-885 Dumps](#)

[E20-885 VCE Dumps](#)

[E20-885 Practice Test](#)