

## E20-895<sup>Q&As</sup>

Backup Recovery - Avamar Expert Exam for Implementation Engineers

### Pass EMC E20-895 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-895.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.

```
ping statistics for 10.127.199.55:
  Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
  Approximate round trip times in milli-seconds:
    Minimum = 17ms, Maximum = 309ms, Average = 32ms
```

A Dell EMC Avamar backup administrator is determining the TCP window size to be used. The WAN link is 100 Mbps. What is the value of the BDP?

- A. 212,500 bytes
- B. 400,000 bytes
- C. 3,200,000 bytes
- D. 3,862,500 bytes

Correct Answer: B

---

**QUESTION 2**

A customer wants to protect their DB2 databases with EMC Avamar. You have configured and validated successful completion of both hot and cold database backups. You now need to validate that you can restore from the cold database backups. To recover after shutting down the database, which prefix should the backup file contain?

- A. c
- B. cl
- C. h
- D. hl

Correct Answer: A

---

**QUESTION 3**

For an Oracle database backup to Dell EMC Avamar, which type of two-node cluster is supported in a high availability configuration?

- A. Linux
- B. AIX
- C. HP-UX

D. Solaris

Correct Answer: D

Reference: <https://www.emc.com/collateral/TechnicalDocument/docu89879.pdf> (19)

---

#### QUESTION 4

You are asked to implement a Dell EMC Avamar solution for a Microsoft Exchange 2010 environment. The Exchange 2010 server has three mailbox databases running circular logging mode. What is a consideration for this implementation?

- A. Incremental backup is not supported for this implementation
- B. Full, Incremental, and Differential backups are supported
- C. Old transaction logs are truncated after Incremental backup
- D. There is no limit on the maximum number of transaction log files

Correct Answer: A

---

#### QUESTION 5

A customer began performing backups of their DB2 database to Avamar with the "dedup\_device" option enabled. The backup suddenly fails. Why does it fail?

- A. An older DB2 version (below 9.5) does not support dedup\_device.
- B. Newer DB2 versions (9.5 Fix Pack 8 and above) no longer support dedup\_device.
- C. Archive logs were excluded from online backup.
- D. Delta backup was initiated by CLP.

Correct Answer: A

[E20-895 VCE Dumps](#)

[E20-895 Practice Test](#)

[E20-895 Braindumps](#)