

## EX200<sup>Q&As</sup>

Red Hat Certified System Administrator - RHCSA

**Pass home EX200 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ex200.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by home  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

User mary must configure a task.

Requirement: The local time at 14:23 every day echo "Hello World."

Correct Answer: Check the answer in explanation.

```
crontab -u mary -e
```

```
23 14 * * * echo "Hello World."
```

---

## QUESTION 2

Configure your Host Name, IP Address, Gateway and DNS. Host name: station.domain40.example.com  
/etc/sysconfig/network hostname=abc.com hostname abc.com IP Address:172.24.40.40/24 Gateway172.24.40.1  
DNS:172.24.40.1

Correct Answer: Check the answer in explanation.

```
# cd /etc/sysconfig/network-scripts/ # ls # vim ifcfg-eth0 (Configure IP Address, Gateway and DNS)  
IPADDR=172.24.40.40 GATEWAY=172.24.40.1 DNS1=172.24.40.1 # vim /etc/sysconfig/network (Configure Host  
Name) HOSTNAME= station.domain40.example.com OR Graphical Interfaces: System->Preference->Network  
Connections (Configure IP Address, Gateway and DNS) Vim /etc/sysconfig/network (Configure Host Name)
```

---

## QUESTION 3

Create a new logical volume according to the following requirements:

The logical volume is named database and belongs to the datastore volume group and has a size of 50 extents.

Logical volumes in the datastore volume group should have an extent size of 16 MB.

Format the new logical volume with a ext3 filesystem.

The logical volume should be automatically mounted under /mnt/database at system boot time.

Correct Answer: Check the answer in explanation.

```
fdisk -cu /dev/vda partx -a /dev/vda pvcreate /dev/vdax vgcreate datastore /dev/vdax -s 16M lvcreate-l 50 -n database  
datastore mkfs.ext3 /dev/datastore/database mkdir /mnt/database mount /dev/datastore/database /mnt/database/ df -Th  
vi /etc/fstab /dev/datastore /database /mnt/database/ ext3 defaults 0 0 mount -a
```

---

## QUESTION 4

Install the Kernel Upgrade.

Install suitable kernel update from:

`http://server.domain11.example.com/pub/updates.`

Following requirements must be met:

Updated kernel used as the default kernel of system start-up.

The original kernel is still valid and can be guided when system starts up.

Correct Answer: Check the answer in explanation.

Using the browser open the URL in the question, download kernel file to root or home directory. `uname -r` // check the current kernel version `rpm -ivh kernel-*.rpm` `vi /boot/grub.conf` // check Some questions are: Install and upgrade the kernel as required. To ensure that grub2 is the default item for startup. Yum repo :

`http://content.example.com/rhel7.0/x86-64/errata` OR `uname -r` // check kernel Yum-config-manager --add-repo="http://content.example.com/rhel7.0/x86-64/errata" Yum clean all Yum list kernel // install directly Yum -y install kernel // stuck with it, do not pipe! Please do not pipe! Default enable new kernel grub2-editenv list // check Modify grub2-set-default "kernel full name" Grub2-mkconfig -o/boot/grub2/grub.cfg // Refresh

---

## QUESTION 5

Create a 2G swap partition which take effect automatically at boot-start, and it should not affect the original swap partition.

Correct Answer: Check the answer in explanation.

# `fdisk /dev/sda` p (check Partition table) n (create new partition: press e to create extended partition, press p to create the main partition, and the extended partition is further divided into logical partitions) Enter +2G t 8 l

W `partx -a /dev/sda` `partprobe` `mkswap /dev/sda8` Copy UUID `swapon -a` `vim /etc/fstab` UUID=XXXXXX swap swap defaults 0 0 (`swapon -s`)

[Latest EX200 Dumps](#)

[EX200 Practice Test](#)

[EX200 Exam Questions](#)