

EX407^{Q&As}

Red Hat Certified Specialist in Ansible Automation exam

Pass RedHat EX407 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ex407.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What are the minimum configurations that must be made to install Ansible Tower?

- A. You must provide a target host and set some key user passwords.
- B. You must generate an SSL certificate for the Ansible Tower web frontend.
- C. You must specify a few key user passwords.
- D. PROJECTS_ROOT must be configured.

Correct Answer: D

This is the only required configuration change needed prior to installation.

QUESTION 2

Which keywords will cause a role to be applied in a playbook? (Choose all that apply.)

- A. use_role
- B. include_role
- C. load_role
- D. role

Correct Answer: BD

The import_role keyword dynamically includes a role within a play. The role keyword statically includes a role within a play.

QUESTION 3

What keyword sets a change condition for a given task?

- A. flag_change
- B. changed_when
- C. register_change
- D. change_set

Correct Answer: C

QUESTION 4

Consider the following play excerpt:

```
-name: deploy app config template: src: app.xml.j2 dest: /etc/app.xml notify:
```

```
-
```

```
restart memcached
```

```
-
```

```
restart apache
```

```
-name: deploy httpd config
```

```
template:
```

```
src: httpd.conf.j2
```

```
dest: /etc/httpd/conf/httpd.conf
```

```
notify:
```

```
-restart apache
```

```
-name: deploy httpd config
```

```
template:
```

```
src: site.conf.j2
```

```
dest: /etc/httpd/conf/site.conf
```

```
notify:
```

```
-restart apache
```

Presuming all of the listed tasks in the play change the files they act on and the handler is correctly defined in another file, how many times is the "restart apache" handler ran?

A. 3

B. 0

C. 2

D. 1

Correct Answer: D

As long as at least one change is made that calls the restart apache handler, it will be run once.

QUESTION 5

What command is used to run a playbook?

A. ansible-playbook

B. ansible

C. ansible-p

D. playbook

Correct Answer: A

This command will run a given playbook successfully.

[EX407 PDF Dumps](#)

[EX407 Practice Test](#)

[EX407 Exam Questions](#)