FM0-305 Q&As

Developer Essentials for FileMaker 11

Pass FileMaker FM0-305 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/fm0-305.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by FileMaker Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which formula returns "052010" given a date field myDate that contains the date May 20, 2010?

A. Month (myDate) and "" and Year (myDate)

B. Date (Month (myDate) "" Year (myDate))

C. Right ("0" and Month (myDate) 2) and "" and Year (myDate)

D. Let ([d = GetAsText (myDate) m = Month (d) y = Year (d)] m and "" and y)

Correct Answer: C

QUESTION 2

Which two statements are true about solutions served via Custom Web Publishing (CWP) in the FileMaker Pro product line? (Choose two.)

A. They can execute FileMaker Pro scripts.

B. They can only be accessed using Firefox, Safari, or Internet Explorer.

C. They are not limited with respect to the number of simultaneous users.

D. They rely on the layouts that have been defined within the hosted FileMaker Pro files.

E. They can only be accessed by accounts for which the [fmphp] extended privilege is enabled.

Correct Answer: AD

QUESTION 3

Given the following function: Position ("Bobby Bubbles" "B" 2 2) What is returned?

A. 0

B. 3

C. 4

D. 7

Correct Answer: C

QUESTION 4

Which two will allow an account to perform a serverside script in FileMaker Server 11? (Choose two.)

A. The specified script is set to Run with Full Access.

B. The Extended Privilege Access via Server Scripts [fmsscript] is checked.

C. The Extended Privilege Access via FileMaker Network [fmapp] is checked.

D. The Allow Enabled Schedules to Run is checked in the FileMaker Server Admin Console.

E. The account under which the script is run must have privileges to execute the specified script.

Correct Answer: DE

QUESTION 5

In which two cases will the object name of a button be available to a script that is performed by the button? (Choose two.)

A. when the Self function is used as the script parameter associated with the button\\'s script

B. when the button is clicked on and the Get (ActiveLayoutObjectName) function is used in the script

C. when the button\\'s object name is hardcoded into the script parameter associated with the button\\'s script

D. when the button is tabbed to and then activated from the keyboard and the Get (ActiveLayoutObjectName) function is used in the script

Correct Answer: CD

[Latest FM0-305 Dumps](#)   [FM0-305 VCE Dumps](#)   [FM0-305 Exam Questions](#)