

H12-221^{Q&As}

HCIP-Routing & Switching-IERS V2.5

Pass Huawei H12-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/h12-221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following protocols support default route advertisement? (Select 3 answers)

- A. RIP
- B. OSPF
- C. BGP
- D. Static

Correct Answer: ABC

QUESTION 2

In which of the following states do BGP peers refuse to initiate or accept connection requests?

- A. Established
- B. OpenSent
- C. Active
- D. Idle

Correct Answer: D

QUESTION 3

Which of the following is the multicast distribution tree maintained by PIM-DM?

- A. SFT
- B. CBT
- C. RFT
- D. STP

Correct Answer: A

QUESTION 4

Which of the following routing protocols support import-route? (Select 3 answers)

- A. OSPF
- B. RIP

C. BGP

D. Static

Correct Answer: ABC

QUESTION 5

IGMP interface group report information Ethernet6/1/1(40.1.1.1): Total 1 IGMP Group reported Group: 232.0.0.1 Uptime: 00:00:22 Expires: off Last reporter: 40.1.1.3

Last-member-query-counter: 0 Last-member-query-timer-expiry: off Group mode: include Version1-host-present-timer-expiry: off Version2-host-present-timer-expiry: off Source list: Source: 20.1.1.56 Uptime: 00:00:22 Expires: 00:05:08 Last-member-query-counter: 3 Last-member-query-timer-expiry: 00:00:01 Source: 20.1.1.57 Uptime: 00:00:22 Expires: 00:00:17 Last-member-query-counter: 3 Last-member-query-timer-expiry: 00:00:01 The preceding information shows the entry status of an IGMP interface on Ethernet 6/1/1 on a router.

Assume IGMP sends the group-and-source-specific Query message. Which of the following statements is true?

- A. IGMP sequentially sends two messages; The source carried in one of the messages is 20.1.1.56 with no S flag bit set; the source carried in the other message is 20.1.1.57, with the S flag bit set to 1.
- B. IGMP sequentially sends two messages: The source carried in one of the messages is 20.1.1.56 with the S flag bit set to 1; the source carried in the other message is 20.1.1.57, with no S flag bit set.
- C. IGMP sends only one message carrying two sources 20.1.1.56 and 20.1.1.57, with the S flag bit set to 1.
- D. IGMP sends only one message carrying two sources 20.1.1.56 and 20.1.1.57, with no S flag bit set.

Correct Answer: B

[H12-221 VCE Dumps](#)

[H12-221 Practice Test](#)

[H12-221 Exam Questions](#)