Leads4Pass

H12-222^{Q&As}

HCIP-Routing & Switching-IENP V2.5

Pass Huawei H12-222 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/h12-222.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

On a MPLS network, switches can distribute labels. Which of the following statements regarding label distribution control mode is true?

A. The downstream LSR determines a label bound to a specific FEC, and then notifies the upstream LSR.

B. In Downstream on Demand (DoD) mode, an LSR distributes a label to an FEC without having to receive the label request message from its upstream LSR.

C. In Downstream Unsolicited (DU) mode, an LSR distributes a label to an FEC after receiving a label request message from its upstream LSR.

D. The upstream LSR and downstream LSR with label advertisement adjacencies may use different label distribution control modes.

Correct Answer: A

QUESTION 2

Which of the following items is not the disadvantage of the traditional congestion avoidance mechanism (tail drop)?

A. Global TCP synchronization

B. High jitter and long delay

C. High cost

D. Packets are discarded without differentiating the priority

Correct Answer: B

QUESTION 3

Which of the following parameters is optional when you configure a RADIUS server template on a Huawei switch?

A. Authentication server IP address and port

B. Automatic RADIUS user detection

C. Accounting server address and port

D. Shared-key

Correct Answer: B

QUESTION 4

For interzone packet filtering, which of following traffic is not transmitted in the outbound direction?

A. Traffic from the DMZ to the untrusted zone

B. Traffic from the trusted zone to the DMZ

C. Traffic from the trusted zone to the untrusted zone

D. Traffic from the trusted zone to the local zone

Correct Answer: D

QUESTION 5

Which of the following statements regarding the access control application scenario of the Agile Controller is false?

A. In MAC address authentication, user terminals are authenticated by the authentication server based on their MAC addresses. MAC address authentication is mainly used to authenticate dumb terminals, such as IP phones and printers.

B. 802.IX authentication uses the Extensible Authentication Protocol (EAP) to transmit authentication information between the client, access device, and authentication server.

C. Portal authentication is also called web authentication. Users enter their account information on the web authentication page for identity authentication.

D. In SACG authentication, the USG firewall is connected to a router or switch in bypass mode, and terminal access is controlled by manual monitoring.

Correct Answer: A

[H12-222 PDF Dumps](#)   [H12-222 VCE Dumps](#)   [H12-222 Study Guide](#)