

H12-261^{Q&As}

HCIE-Routing & Switching (Written) V3.0

Pass Huawei H12-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/h12-261.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Two routers are connected through the serial port, but the interface cannot be pinged. See the port as follows: (No map, one by one, you can find the reason without looking at it) PPP HDLC

- A. Chain bandwidth road is not enough
- B. The IP address is not on the same network segment.
- C. Chain layer protocol road inconsistency
- D. Subnet mask does not match code

Correct Answer: C

QUESTION 2

Which of the following statements regarding Security Association (SA) in IPsec is false?

- A. An IPsec VPN connection can be established only when the bidirectional SA exists between IPsec peers
- B. An SA is identified by three parameters: security parameter index (SPI), destination IP address, and security protocol ID (AH or ESP)
- C. You can run the display ipsec sa command to view the encryption algorithm used and traffic of interest between IPsec peers
- D. IPsec can only use symmetric encryption algorithms to encrypt and decrypt data

Correct Answer: D

QUESTION 3

Regarding the logical mode of the MPLS TTL pair, is the following description correct?

- A. Pipe IP MPLS IP TTL 1 In MPLS TTL mode, when the message passes through the network, it is mapped to the field at the ingress point.
- B. MPLS TTL IP TTL MPLS A label, which has the same function as the header, can prevent the network from routing the loop (as it is)
- C. Uniform IP MPLS IP TTL 1 MPLS TTL mode is simulated. When the message passes through the network, the entry point is reduced and the field is fixed to the value.
- D. In the case of the MPLS VPN MPLS Ingress uniform, the private network text can be used in the reporting mode.

Correct Answer: B

QUESTION 4

A household has opened a 10Mb/s 12Mb/s broadband, and the carrier has increased the use of the camp for the user. The speed can be set at the time of the household. If I am stable, if I We use token bucket technology. Which of the following is the best?

- A. cir 10000 pir 12000
- B. cir 10000 cbs 10000 pbs 12000
- C. cir 8000 pir 12000
- D. cir 10000 cbs 12000 pbs 12000

Correct Answer: A

QUESTION 5

Which of the following SDN controllers uses VXLAN technology?

- A. Agile Controller-DCN
- B. Agile Controller-WAN
- C. Agile Controller-Campus

Correct Answer: A

[H12-261 VCE Dumps](#)

[H12-261 Study Guide](#)

[H12-261 Exam Questions](#)