

H12-261^{Q&As}

HCIE-Routing & Switching (Written) V3.0

Pass Huawei H12-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/h12-261.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The following information about the correct description is BGP4+, ?

- A. Bgp4+ dampening IBGP can use the match to suppress the polling of the routing line.
- B. The modified BGP router id BGP guide connection will be re-established.
- C. BCP4+ Next Hop Pv6, the attribute in the address is represented by the address, which can be the next-hop road-local address chain.
- D. BGP4+ does not support route self-aggregation.

Correct Answer: BD

QUESTION 2

If multiple candidate RPs are configured in a multicast domain, which of the following parameters need to be compared when electing the RP of the group from multiple candidate RPs?

- A. IP address of the C-RP interface
- B. Mask length of the group range that is supported by the C-RP and needs to be matched with the group address joined by receivers
- C. C-RP interface ID
- D. C-RP priority

Correct Answer: A

QUESTION 3

Which of the following statements regarding the IPv6 over VXLAN network is false?

- A. The IPv6 over VXLAN network indicates that the VXLAN overlay network is an IPv6 network.
- B. The IPv6 Over VXLAN network does not generate ND entries.
- C. Tunnels between Layer 2 and Layer 3 VXLAN gateways are deployed on an IPv4 network.
- D. The IPv6 over VXLAN network enables tenants to have sufficient IP address resources.

Correct Answer: C

QUESTION 4

When a Layer 2 switch sends IP packets originating from one VLAN to another, which of the following fields is rewritten?

- A. Layer 3 TTL
- B. Layer 3 source IP address
- C. Layer 3 transport protocol
- D. Layer 2 TTL
- E. Layer 3 destination IP address

Correct Answer: A

QUESTION 5

BGP BGP introduces other post-routing protocols. The next hop in the routing table is consistent with the next hop of the redistributed route.

- A. Correct
- B. Error

Correct Answer: B

[H12-261 PDF Dumps](#)

[H12-261 VCE Dumps](#)

[H12-261 Practice Test](#)