

## H12-321<sup>Q&As</sup>

HCIP-WLAN-CEWA V1.0

### Pass Huawei H12-321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/h12-321.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**


A large enterprise needs to deploy a WLAN network. The Huawei chassis switch (S77 / 97 / 127) is available on the current network. To reduce the space resources occupied by devices in the equipment room and facilitate the expansion of the WLAN network in the future, users can insert the switch in the frame switch. Insert the AC card into the WLAN network. Which of the following types of ACs can be inserted into the frame switch?

- A. ACU2
- B. AC6605
- C. AC6005
- D. X1E board

Correct Answer: AD

**QUESTION 2**

Which of the following statements about the N+1 backup networking shown in the figure are TRUE? (Multiple Choice)



- A. Standby AC3 must be on the same Layer 2 network as active AC1 and active AC2.
- B. Basic WLAN service configurations on standby AC3 must be the same as those on active AC1 and active AC2 to ensure that APs can obtain the correct configuration after an active/standby switchover of AGs.
- C. AP-specific priorities can be configured on active and standby ACs respectively so that APs can select the corresponding active AC based on the priority configurations on ACs.
- D. Corresponding MAC address whitelists can be configured on active ACs to ensure that APs select the correct active AC and go online on the AC.

Correct Answer: BCD

## QUESTION 3

Which statements about the MPP on a Mesh network are TRUE? (Multiple Choice)

- A. An MPP connects to a Mesh network or another type of network, and communicates with MP/MAP within the Mesh network.
- B. An MPP provides the Portal function and allows internal nodes to communicate with external networks.
- C. An MPP is also called Mesh gateway.
- D. MPPs do not support redundancy.

Correct Answer: ABC

---

## QUESTION 4

Which of the following commands can be used to view the AP group or AP profile information of a specified Mesh profile?

- A. display references mesh-profile
- B. display references ap-system-profile
- C. display references wired-port-profile
- D. display references radio-5g-profile

Correct Answer: A

---

## QUESTION 5

When the STA uses the WPA2-802.1x security policy and supports fast roaming, the STA only needs to perform key negotiation, but does not need to pass 802.1x authentication again during roaming.

- A. TRUE
- B. FALSE

Correct Answer: A

---

[Latest H12-321 Dumps](#)

[H12-321 VCE Dumps](#)

[H12-321 Braindumps](#)