Leads4Pass

H12-811^{Q&As}

HCIA-Datacom V1.0

Pass Huawei H12-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/h12-811.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

The link aggregation interface can only be used as a Layer 2 interface () A. True

B. False

Correct Answer: B

QUESTION 2

A device has been configured to complete Telnet configuration. The device login address is 10.1.1.10. The Telnet user name is admin and the password is Huawei (@123. The following is the correct way to log in to this device using telnetli()

A. telnetlib.Telnet (10.1.1.0, 23, admin, Huawei@123)

B. telnetlib.Telnet (10.1.1.0)

C. telnetlib.Telnet 10.1.1.0, 23, Huawei@123)

D. telnetlib.Telnet (10.1.1.0, admin

Correct Answer: A

QUESTION 3

The election of the root switch in STP only compares the priority of the switch, while in RSTP, the priority of the switch and the MAC address are compared at the same time. ()

A. True

B. False

Correct Answer: B

QUESTION 4

When the IPv4 protocol is used as the network layer protocol, which field is not included in the network layer header? ()

A. Source IPv4 Address

B. TTL

C. Destination IPv4 Address

D. Sequence Number

Correct Answer: D

QUESTION 5

When the host frequently moves the office, which VLAN division method is most suitable? ()

A. Based on MAAddress division

B. Based on port division

C. Based on IP subnetting

D. Based on strategy division

Correct Answer: A