H12-821 Q&As

HCIP-Datacom-Core Technology V1.0

Pass Huawei H12-821 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/h12-821.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which of the following statements about multicast packet forwarding is true?

A. If a multicast data packet fails the RPF check, the packet must have been received through a sub-optimal interface. However, this interface still receives and forwards the multicast traffic downstream.

B. IGMP snooping cannot control the scope of multicast traffic flooding on a Layer 2 network.

C. The source address of a multicast packet is a unicast address.

D. In multicast transmission, the destination address of a packet can be the unicast address of a host.

Correct Answer: A

QUESTION 2

CORRECT TEXT Compress the 2001:0DBB:B8:0000:C030:0000:0000:09A0:CDEF address._____(if the answer contains letters, capitalize them.)

Correct Answer: pending

QUESTION 3

IGMPV3 not only supports IGMPv1 General Query and IGMPv2 Group-Specific Query, and also IGMPv3 Source/Group-Specific Query.

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 4

To inject IGP routes into BGP routes, you can only use the network command.

A. TRUE

B. FALSE

Correct Answer: B

QUESTION 5

CORRECT TEXT

See the following figure. RTA, RTB, RTC, and RTD are in the same AS and establish IBGP peer relationships through direct links. RTB an RTC are route reflectors (RRs), RTA and RTC are the RR clients of RTB, and RTB and RTD are the RR clients of RTC. If RTA advertises the route 10.1.1.0/24 to the BGP process, the Originator ID of the BGP route received by RTD is_____.

Correct Answer: IN ORDER