

# H31-124\_V2.0<sup>Q&As</sup>

HCIP Carrier IP V2.0

## Pass Huawei H31-124\_V2.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/h31-124\\_v2-0.html](https://www.leads4pass.com/h31-124_v2-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following statements about the priority of zone in the Eudemone are correct?

- A. The priority of the Trust zone is 80
- B. The priority of the Untrust zone is 15
- C. The priority of the DMZ is 50
- D. The priority of the Local zone is 100

Correct Answer: BCD

---

**QUESTION 2**

Which of the following statements regarding the description of LDP is incorrect?

- A. Between two LSRs that run LDP, the LDP session is established and Label/FEC mapping information is exchanged.
- B. In MPLS, LDP is used to implement label distribution, label control and label retention.
- C. The two routers between which LDP session is established are called LDP Peer.
- D. The UDP and TCP port number for LDP is 64.

Correct Answer: ABC

---

**QUESTION 3**

Which of the following are two important working stages in PPPoE protocol?

- A. Session Stage
- B. NCP
- C. LCP
- D. Discovery Stage

Correct Answer: AD

---

**QUESTION 4**

Which of the following type of MPLS L2 VPN carries only one label on an MPLS network?

- A. Martini
- B. SVC

C. CCC

D. Kompella

Correct Answer: D

---

## QUESTION 5

The following commands are configured on the router running BGP:

```
bgp 100 peer 12.12.12.2 as-number 200 ipv4familyunicast network 1,1.1.1 255.255.255.255 undo synchronization peer 12.12.12.2 enable peer 12.12.12.2 next-hop-local
```

The IP address of the router's interface connected with peer 12.12.12.2 is 12.12.12.1.

What's the function of the command "peer 12.12.12.2 next-hop-local"?

A. Change the next hop of the routes generated locally as 12.12.12.1

B. This command does not work at all

C. Change the next hop of the routes advertised to peer 12.12.12.2 as 12.12.12.1

D. Change the next hop of the routes received from peer 12.12.12.2 as 12.12.12.2

Correct Answer: D

[H31-124 V2.0 PDF Dumps](#) [H31-124 V2.0 Practice Test](#) [H31-124 V2.0 Study Guide](#)