

H31-611^{Q&As}

HCNA - SDN(Huawei Certified Network Associate - SDN)

Pass Huawei H31-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/h31-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following statements about NetStream data are true? (Choose all that apply.)

- A. When using the V5 format, NetStream can export data packets before traffic aggregation.
- B. When using the V5 format, NetStream can export data packets after traffic aggregation.
- C. When using the V8 format, NetStream can export data packets before traffic aggregation.
- D. When using the V8 format, NetStream can export data packets after traffic aggregation.

Correct Answer: BC

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1000088753?section=j00e>

QUESTION 2

CE series switches on an SDN network cannot use service interfaces for stacking configuration.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 3

The SFUs of the NE40E-X8A used on an SDN network employ which of the following redundancy methods?

- A. 1:1
- B. 1+1
- C. 2+1
- D. 3+1

Correct Answer: D

Reference: <https://actfornet.com/huawei-net/core-router.html>

QUESTION 4

For a router that runs BGP4, which of the following statements is not true?

- A. When multiple paths exist, BGP4 selects the optimal path.
- B. BGP notifies the routes obtained from EBGp to all its BGP peers.

C. BGP advertises to BGP peers only the routes it uses.

D. BGP4 notifies the routes obtained from IBGP to all its BGP peers.

Correct Answer: B

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1100028526?section=j06yandtopicName=configuring-bgp4-load-balancing>

QUESTION 5

In the SDN architecture, which of the following protocols is used for communication between the control layer and application layer?

A. OpenFlow

B. NETCONF

C. RESTful

D. NetStream

Correct Answer: A

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1000150290/8d15e063/overview-ofopenflow>

[H31-611 PDF Dumps](#)

[H31-611 VCE Dumps](#)

[H31-611 Study Guide](#)