

H31-611^{Q&As}

HCNA - SDN(Huawei Certified Network Associate - SDN)

Pass Huawei H31-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/h31-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

On an SDN network, network devices only need to be responsible for data forwarding.

- A. TRUE
- B. FALSE

Correct Answer: A

Reference: <https://actfornet.com/huawei-cloud/sdn.html>

QUESTION 2

Which of the following statements are true about the meaning of the peer 20.1.1.2 allow-as-loop 2 command? (Choose all that apply.)

- A. The local AS number can be repeated in the AS_Path attribute in the received routes.
- B. 2 indicates the number of times the AS number can be repeated.
- C. This command can only be used on EBGP peers.
- D. By default, the number of times the AS number is allowed to be duplicated is 1.

Correct Answer: BD

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1100008283/14418f9d/peer-allow-as-loop>

QUESTION 3

Which of the following descriptions are true about SDN? (Choose all that apply.)

- A. SDN is OpenFlow.
- B. SDN supports forwarding-control separation.
- C. SDN provides programmable open interfaces.
- D. SDN is short for software-defined networking.

Correct Answer: BCD

QUESTION 4

Which of the following statements are true about the DIS in IS-IS? (Choose all that apply.)

- A. A DIS creates and updates pseudo nodes on a broadcast network.

B. DIS election is unpredictable.

C. When all IS priorities are the same within a LAN, the IS with the largest MAC address is elected as the DIS.

D. DIS election on a broadcast network is held in preemption mode.

Correct Answer: AC

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1100055485/4110e8a/basic-protocols-of-is>

QUESTION 5

SNMP uses connectionless UDP as the transmission protocol, whereas NETCONF uses connection-oriented TCP.

A. TRUE

B. FALSE

Correct Answer: B

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1000102491?section=k006>

[Latest H31-611 Dumps](#)

[H31-611 Exam Questions](#)

[H31-611 Braindumps](#)