

HAAD-RN^{Q&As}

HAAD Licensure Examination for Registered Nurses

Pass HAAD HAAD-RN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/haad-rn.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A patient who sustained a chest injury has a chest tube inserted which is connected to an under water seal drainage system. When caring for this patient the nurse will:

- A. Instruct the patient to limit movement of the affected shoulder
- B. Observe for fluctuation of the water level
- C. Clamp the tube when needed
- D. Administer hourly analgesia

Correct Answer: B

QUESTION 2

A patient is to receive 25mg/hr of an aminophylline infusion. The solution prepared by the pharmacy contains 500mg of aminophylline in 1000ml of D5W. How many milligrams are available per ml?

- A. 0.25 mg/ml
- B. 0.5 mg/ml
- C. 1 mg/ml
- D. 2 mg/ml

Correct Answer: B

QUESTION 3

The nurse notes that there are no physician's orders regarding Fatima's post operative daily insulin dose. The most appropriate action by the nurse is to:

- A. Withhold any insulin dose since none is ordered and the patient is NPO
- B. Call the physician to clarify whether insulin should be given and at what dose
- C. Give half the usual daily insulin dose since she will not be eating in the morning
- D. Give the patient her usual daily insulin dose since the stress of surgery will increase her blood glucose

Correct Answer: B

QUESTION 4

A young patient is extremely irritable due to meningitis. It would be most important for the nurse to:

- A. Use low-level lighting in the room
- B. Ventilate the room
- C. Eliminate strong odors
- D. Allow frequent visitors

Correct Answer: A

QUESTION 5

Order: Allopurinol 450 mg p.o. daily. Drug available. Allopurinol 300 mg scored tablets. Which of the following will you administer?

- A. 0.5 tablet
- B. 1.5 tablets
- C. 2 tablets
- D. 2.5 tablets

Correct Answer: B

[Latest HAAD-RN Dumps](#)

[HAAD-RN Study Guide](#)

[HAAD-RN Braindumps](#)