

# HAAD-RN<sup>Q&As</sup>

HAAD Licensure Examination for Registered Nurses

## Pass HAAD HAAD-RN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/haad-rn.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An 84-year-old man has arthritis and is admitted for a severely edematous knee. The physician orders heat packs every 2 hours and you feel this order may worsen the tissue congestion. An appropriate

nursing action would be:

- A. Contact the physician and discuss your concerns about the order
- B. To include the order in the nursing care plan and monitor outcome
- C. Complete an incident report form and document concerns in the nursing notes
- D. Involve the patient by asking what his treatment preference is

Correct Answer: A

---

**QUESTION 2**

A patient presents to the emergency department with diminished and thready pulses, hypotension and an increased pulse rate. The patient reports weight loss, lethargy, and decreased urine output. The lab work reveals increased urine specific gravity. The nurse should suspect:

- A. Renal failure
- B. Sepsis
- C. Pneumonia
- D. Dehydration

Correct Answer: D

---

**QUESTION 3**

A patient complains of pain in his right arm. The physician orders codeine 45 mg and aspirin 650 mgs every 4 hours PRN. Each codeine tablet contains 15mg of codeine and each aspirin tablet contains 325mg of aspirin. What should the nurse administer?

- A. 2 codeine tablets and 4 aspirin tablets
- B. 4 codeine tablets and 3 aspirin tablets
- C. 3 codeine tablets and 2 aspirin tablets
- D. 3 codeine tablets and 3 aspirin tablets

Correct Answer: C

---

## QUESTION 4

A patient is admitted to a hospital with acute renal failure. The patient wakes up complaining of abdominal pain. On assessment, the nurse observes edema to the patient's ankles and distended neck veins. The patient is dyspneic with a blood pressure of 200/96 mmHg. The proper nursing diagnosis for this patient is:

- A. Deficient fluid volume related to disease process
- B. Excess fluid volume related to decreased glomerular filtration rate
- C. Knowledge deficit related to proper medication regimen
- D. Acute pain related to renal edema

Correct Answer: B

---

## QUESTION 5

The physician orders 20 u of U-100 regular insulin. The only syringe on hand is a 1 ml tuberculin syringe. How many milliliters should be administered?

- A. 0.02 ml
- B. 0.2 ml
- C. 1 ml
- D. 2 ml

Correct Answer: B

[HAAD-RN VCE Dumps](#)

[HAAD-RN Study Guide](#)

[HAAD-RN Braindumps](#)