

# HAT-680<sup>Q&As</sup>

HITACHI DATA SYSTEMS QUALIFIED PROFESSIONAL ? STORAGE  
ADMINISTRATION

**Pass Hitachi HAT-680 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hat-680.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

You are about to restore the HiRDB database on a Hitachi Command Suite (HCS) Windows server. But first, you must stop the HCS services. How is this accomplished?

- A. Use the Windows service panel from Computer Manager.
- B. Use the HCS GUI.
- C. Use the hcmdssrv command.
- D. Use the hcmdsservices command.

Correct Answer: C

---

## QUESTION 2

You have a LUSE volume on a USP V storage system which is no longer used by any server. Using Hitachi Device Manager, what must be done to release the LUSE volume?

- A. The LUSE volume must be marked as "unused".
- B. The LUSE volume must be marked as "invalidated".
- C. You must format the LUSE volume first to delete all the data on it.
- D. You must release all defined data paths for this LUSE volume.

Correct Answer: D

---

## QUESTION 3

Which two Hitachi Dynamic Link Manager (HDLM) features address challenges associated with high availability and single point failures? (Choose two.)

- A. HDLM provides failover protection by switching to a good path if a path fails.
- B. HDLM monitors the paths of multiple hosts and redirects I/Os to the least busy path if a path fails.
- C. HDLM can automatically set a failed path back online if it becomes available.
- D. HDLM provides error correction algorithms that help recover data transmission errors caused by path failures.

Correct Answer: AC

---

## QUESTION 4

You want to create a Hitachi Dynamic Provisioning pool on a VSP using Hitachi Device Manager. Which two conditions apply? (Choose two.)

- A. Drive types cannot be mixed.
- B. LDEVs must be selected.
- C. Parity groups must be selected.
- D. The maximum pool number cannot exceed 127.

Correct Answer: CD

---

## QUESTION 5

You have reported a Hitachi Device Manager problem to the HDS Global Support center and you are asked to provide troubleshooting data. Which Web site would allow you to upload the data?

- A. <https://tuf.hds.com>
- B. <http://www.hds.com>
- C. <https://support.hds.com>
- D. <https://customerservice.hds.com>

Correct Answer: A

[Latest HAT-680 Dumps](#)

[HAT-680 Practice Test](#)

[HAT-680 Exam Questions](#)