

HAT-680^{Q&As}

HITACHI DATA SYSTEMS QUALIFIED PROFESSIONAL ? STORAGE
ADMINISTRATION

Pass Hitachi HAT-680 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/hat-680.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

The manager of a large distributed SAN wants to share the workload of daily administrative tasks between different storage administrators. Which two elements in Hitachi Device Manager can be used to define the view of the storage components? (Choose two.)

- A. host group
- B. resource group
- C. user permissions
- D. access control lists

Correct Answer: BC

QUESTION 2

You want to configure hosts connected to a VSP using the Host Scan feature of Hitachi Device Manager. Which action must be performed?

- A. Ensure all hosts are related to a host group.
- B. Ensure all hosts are related to the same host group.
- C. Set the storage WWN for LUN security.
- D. Set the host WWN for LUN security.

Correct Answer: A

QUESTION 3

When configuring external storage on a VSP storage system, what happens when the Inflow Control option is set to Enable?

- A. Writes will be rejected when the external volume cannot be accessed.
- B. Writes will be rejected when the cache usage is above threshold 1.
- C. Writes will be accepted when the external volume cannot be accessed.
- D. Writes will be rejected when the cache usage is above threshold 2.

Correct Answer: A

QUESTION 4

You use Hitachi Device Manager (HDvM) to manage your VSP and HUS110 storage systems. Which two features are

available in the HDvM GUI to manage storage provisioning tasks? (Choose two.)

- A. Allocate Storage
- B. Move Storage
- C. Unallocate Storage
- D. Release Storage

Correct Answer: AC

QUESTION 5

Your customer complains that they cannot display host information for a certain host within Hitachi Global Link Manager (HGLM). Other hosts are accessible. What should you verify?

- A. the customer's access permissions
- B. the HGLM license capacity
- C. the status of the Common Component service
- D. the disk space on the HGLM server

Correct Answer: A

[Latest HAT-680 Dumps](#)

[HAT-680 PDF Dumps](#)

[HAT-680 Practice Test](#)