

HH0-210^{Q&As}

HDS Certified Implmenter-Enterprise

Pass Hitachi HH0-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hh0-210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You are planning an initial VSP installation at a customer site. Which two must be verified? (Choose two.)

- A. sufficient service clearance at the front and back sides
- B. sufficient service clearance at the right and left sides
- C. availability of a LAN access
- D. availability of an analog modem line

Correct Answer: AC

QUESTION 2

What are two features of the VSP? (Choose two.)

- A. high performance using single-core processors
- B. balanced workload across management processors
- C. no SVP required
- D. availability of dual controller configuration

Correct Answer: BD

QUESTION 3

Which document is designed to assist those involved in the sale, installation and support of Hitachi Enterprise storage systems to ensure proper installation planning?

- A. the HiFire Pre-installation Report
- B. the System Administration Guide
- C. the HiPlan Service Guide
- D. the System Assurance Document

Correct Answer: D

QUESTION 4

You are installing a VSP with 2 DKCs containing 2.5" and 3.5" form factor HDDs. Which two configuration rules apply? (Choose two.)

- A. 2.5" and 3.5" DKUs can be mixed in any pattern.
- B. Each DKU Rack can only contain one drive form factor.
- C. Each HDU can only contain one drive form factor.
- D. The drive form factor must be unique per DKC.

Correct Answer: AC

QUESTION 5

Which component can access the Shared Memory area of the cache boards on a VSP?

- A. VSD
- B. BED
- C. FED
- D. SVP

Correct Answer: A

[HH0-210 PDF Dumps](#)

[HH0-210 Practice Test](#)

[HH0-210 Study Guide](#)