# HH0-210<sup>Q&As</sup>

HDS Certified Implmenter-Enterprise

### Pass Hitachi HH0-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/hh0-210.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



### Leads4Pass

#### **QUESTION 1**

What are three micro-program types on the VSP? (Choose three.)

A. DKC Main

B. SCSI path

C. DKU

D. HDD

E. SVC

Correct Answer: ACD

#### **QUESTION 2**

A customer is deploying new Hitachi Enterprise storage systems into the data center across various servers and operating systems. During the planning stage, Hitachi Dynamic Link Manager (HDLM) is identified as the preferred path management software on the AIX servers.

Which two must you include in a prerequisite check list prior to deployment? (Choose two.)

- A. Check that the Object Data Manager (ODM) is installed.
- B. Check that Hitachi Device Manager agent is not installed.
- C. Check that Hitachi Device Manager is compatible with HDLM.
- D. Check the operating system levels and fix packs against the release notes.

Correct Answer: AD

#### **QUESTION 3**

A VSP receives a pinned track error with a "write error" description on the SVP. How would you resolve the problem?

A. Replace the SVP.

- B. Replace the PDEV.
- C. Replace the DKA.
- D. Restore the customer data.

Correct Answer: B

## Leads4Pass

#### **QUESTION 4**

Your VSP customer is using Hitachi Device Manager and Tuning Manager software.

Which tab in the Hitachi Command Suite main view can be used for viewing VSP system performance data?

A. Metrics

- B. Monitor
- C. Analytics
- D. Performance

Correct Answer: C

#### **QUESTION 5**

A storage administrator would like to connect 10 hosts into the same FC ports of a VSP. They are concerned that one host with high I/Os will impact the other hosts on the same FC ports. Which HBA parameter should be set to limit the number of outstanding I/Os on each host?

- A. queue depth
- B. command length
- C. command depth
- D. queue length

Correct Answer: A

Latest HH0-210 Dumps

HH0-210 Study Guide HH0-210 Exam Questions