

## HP0-815<sup>Q&As</sup>

Advanced SAN Architecture

**Pass HP HP0-815 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hp0-815.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

iSCSI is a protocol that allows for \_\_\_\_\_.

- A. access to storage through a NIC
- B. a switch to manage a SCSI device
- C. data replication between SCSI devices
- D. SCSI devices to be managed interactively on the SAN

Correct Answer: A

---

## QUESTION 2

How do you detect a possible security intrusion attempt into the SAN?

- A. switch event logging
- B. switch port connection monitoring
- C. switch zone rejection log
- D. switch security audit log

Correct Answer: A

---

## QUESTION 3

What is a challenge when expanding a SAN with SAN extensions?

- A. switch latency
- B. disk latency
- C. network latency
- D. host latency

Correct Answer: C

---

## QUESTION 4

What does a Recovery Time Objective (RTO) of three hours indicate as it relates to backup and restore?

- A. Data is restored and the environment is operational within three hours.
- B. The amount of data lost with backups should not exceed three hours.

- C. The data should be fully backed up and restored every three hours.
- D. Data should be cloned and restored every three hours.

Correct Answer: A

---

## QUESTION 5

A customer has implemented a multi-switch core-edge fabric with B- series (Brocade) 2 Gbps fabric switches. How can the SAN administrator back up the SAN configuration data every time a change is made to the SAN? (Choose two.)

- A. download the switch and zoning configurations with the High Availability Fabric Manager
- B. Switch configuration and zoning configuration are automatically saved to a pre-defined location before a change is applied to either a switch or the fabric.
- C. use a Telnet session with FTP to download the switch and zoning information
- D. download the switch and zoning configurations with the Fabric Manager

Correct Answer: CD

[Latest HP0-815 Dumps](#)

[HP0-815 Practice Test](#)

[HP0-815 Braindumps](#)