

HP0-P25^{Q&As}

HP-UX 11i v3 Advanced System Administration

Pass HP HP0-P25 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hp0-p25.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

HP-UX provides a variety of network services via the inetd daemon. These services need to be secured due to vulnerability.

Match each inetd service with its corresponding vulnerability.

Hot Area:

dtspcd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

telnetd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

sprayd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

fomgerd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

Hot Area:

dtspcd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

telnetd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

sprayd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

fomgerd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

Correct Answer:

dtspcd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

telnetd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

sprayd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

fomgerd

sends passwords across the network in clear text
buffer over flow defects allow exploits to gain root access
launches denial of service attacks
uses usernames and other information without requiring a password

QUESTION 2


Which statements about HP Serviceguard heartbeats are true? (Select two)

- A. Heartbeat packets are sent across all available LAN interfaces
- B. Heartbeat packets are the primary mechanism used by cluster nodes to communicate status information.
- C. Loss of even a single heartbeat message causes cluster reformation.
- D. A minimum of two heartbeat LAN interfaces are recommended in a cluster.
- E. Heartbeat packets are sent across dedicated heartbeat LAN interfaces

Correct Answer: BE

QUESTION 3

While investigating issues on a Service guard cluster, you notice an entry in the syslog. Log file similar to:



```
CM-CMD[2054]: cmhaltpkg -v my_pkg.
```

What does this indicate?

- A. The cmhaltnode command has issued the cmhaltpkg command
- B. A control script has run the cmhaltpkg command
- C. Someone has manually run the cmhaltpkg command
- D. Running cmapplyconf has issued the cmhaltpkg command

Correct Answer: D

QUESTION 4

A customer must determine which method of UNIX user management is best for environments of varying size. Which solution best matches the stated environment size.

Hot Area:

One UNIX Host

<input type="text"/>
NIS (Network Information Service)
Local Config Files (/etc/passwd, /etc/group, etc.)
LDAP (Lightweight Directory Access Protocol)

Hundreds of UNIX Hosts

<input type="text"/>
NIS (Network Information Service)
Local Config Files (/etc/passwd, /etc/group, etc.)
LDAP (Lightweight Directory Access Protocol)

Thousands of Heterogeneous Hosts

<input type="text"/>
NIS (Network Information Service)
Local Config Files (/etc/passwd, /etc/group, etc.)
LDAP (Lightweight Directory Access Protocol)

Hot Area:

One UNIX Host

<input type="text"/>
NIS (Network Information Service)
Local Config Files (/etc/passwd, /etc/group, etc.)
LDAP (Lightweight Directory Access Protocol)

Hundreds of UNIX Hosts

<input type="text"/>
NIS (Network Information Service)
Local Config Files (/etc/passwd, /etc/group, etc.)
LDAP (Lightweight Directory Access Protocol)

Thousands of Heterogeneous Hosts

<input type="text"/>
NIS (Network Information Service)
Local Config Files (/etc/passwd, /etc/group, etc.)
LDAP (Lightweight Directory Access Protocol)

Correct Answer:

One UNIX Host

<input type="text"/>
NIS (Network Information Service)
Local Config Files (/etc/passwd, /etc/group, etc.)
LDAP (Lightweight Directory Access Protocol)

Hundreds of UNIX Hosts

<input type="text"/>
NIS (Network Information Service)
Local Config Files (/etc/passwd, /etc/group, etc.)
LDAP (Lightweight Directory Access Protocol)

Thousands of Heterogeneous Hosts

<input type="text"/>
NIS (Network Information Service)
Local Config Files (/etc/passwd, /etc/group, etc.)
LDAP (Lightweight Directory Access Protocol)

QUESTION 5

A volume group is the sixth LVM2-2 volume group on a server. The device tiles for the 3rd LV in this VG have accidentally been deleted. Previous VGs have been created with the default numbering scheme. When using the `mknod` command string to recreate these files, what would be the correct major/minor number pair?

- A. 64 0x050003
- B. 64 0x005003
- C. 128 0x050003

D. 128 0x005003

Correct Answer: D

[HP0-P25 VCE Dumps](#)

[HP0-P25 Practice Test](#)

[HP0-P25 Study Guide](#)