

HP0-S33^{Q&As}

Advanced Integration and Management of HP Server Solutions

Pass HP HP0-S33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hp0-s33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You are experiencing problems with a Virtual Connect domain and want to verify the domain status. Which tool can you use to perform a domain health check?

- A. Service Pack for ProLiant
- B. Active System Health Log
- C. Virtual Connect Active Health
- D. Virtual Connect Support Utility

Correct Answer: D

Reference: <http://bizsupport.austin.hp.com/bc/docs/support/SupportManual/c01566977/c01566977.pdf> (page 17, see step 2) Step 2--Run a health check on the Virtual Connect domain

1. From a local system with VCSU installed, execute the following command: `vcutil -a healthcheck -i -u -p`
-

QUESTION 2

What does Microsoft consider the most important performance counter to be used to detect memory bottlenecks?

- A. Disk pages/second
- B. Disk pagedefaults/second
- C. Disk pagefaults/minute
- D. Disk pages/minute

Correct Answer: B

Reference: <http://technet.microsoft.com/en-us/library/cc749872.aspx> Memory Bottlenecks and Paging If you suspect a memory shortage, chart the following Performance Monitor counters: Memory: Page Faults/sec Memory: Pages Input/sec Memory: Page Reads/sec

QUESTION 3

A consultant must provide a UPS solution to support the load requirement of a server solution being delivered. What is the recommended tool to use to provide the correct UPS solution?

- A. HP Rack and Power Sizer (upssizer.com)
- B. HP Value UPS Manager
- C. HP Rack and Power manager
- D. HP Power Advisor

Correct Answer: A

Reference: <http://h18004.www1.hp.com/products/solutions/power/index.html>

QUESTION 4

An external storage device is connected to HP ProLiant Gen8 servers VMware 5.0i. You want to create a shared datastore for all the servers. After creating a LUN on a storage device, what is the correct procedure to do this?

- A. Present the LUN to one ESXi server, using the storage configuration tool, create a VMFS datastore and enable Round Robin or MRU policy for that datastore.
- B. Present the LUN to the server running VCenter, create a datastore and present it to the ESXi servers.
- C. Present the LUN to all servers and format it with the VMFS file system from any of them, the remaining servers will recognize the newly created datastore.
- D. Present the LUN to one of the servers and create a datastore; enable access for the remaining servers.

Correct Answer: C

QUESTION 5

Which virtual infrastructure component is used as a backup communication channel to exchange information between vSphere HA agents?

- A. VMkernel
- B. Distributed switch port group
- C. Datastore
- D. Service

Correct Answer: C

[Latest HP0-S33 Dumps](#)

[HP0-S33 Study Guide](#)

[HP0-S33 Exam Questions](#)