

HP2-Z30^{Q&As}

Fast Track - Applying HP FlexNetwork Fundamentals

Pass HP HP2-Z30 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hp2-z30.html>


100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1



Switch 1 and Switch 2 are HP ProVision switches operating as Layer 2 switches. VLAN 33 has been defined as the management VLAN on both switches. Based on this topology, which user devices can access Switch 1 by using SSH?

- A. only User-1, User-2, and the Server
- B. only User-1
- C. all users and servers in the topology
- D. only User-1 and User-2

Correct Answer: B

QUESTION 2

Refer to the exhibit.

```
ProVision# show config files
```

```
Configuration files:
```

```
id | act pri sec | name
```

id	act	pri	sec	name
1	*		*	config1
2		*		baseconfig
3				oldconfig

```
ProVision# copy config config1 config config2
```

```
Unable to copy configuration to "config2"
```

```
ProVision#
```

A network administrator is managing the configuration files on an HP Provision switch and executes the commands shown in the exhibit. What is the probable cause of the error message when the network administrator tries to copy the file?

- A. The flash memory in the switch is full and supports no more files.
- B. The copy command should only be used to manage operating systems.
- C. No empty configuration memory slots exist on the switch.
- D. The copy command contains a syntax error.

Correct Answer: C

QUESTION 3

Which statement is true about using the RADIUS protocol for AAA functions\?

- A. Only passwords are encrypted in the RADIUS payload.
- B. Digital certificates are used to authenticate the networking devices and AAA server.
- C. AAA accounting records can be saved using RADIUS or syslog.
- D. RADIUS uses TCP as a transport.

Correct Answer: A

QUESTION 4

What is the default username and password an administrator would use to log into a new HP MSM access point?

- A. username of "hp" and password of "hp"
- B. username of "msm" and password of "wireless"
- C. username of "admin" and password of "hp"
- D. username of "admin" and password of "admin"

Correct Answer: D

QUESTION 5

After setting up DHCP relay, the network administrator has the DHCP client try to acquire addressing information, but the process fails. What should the network administrator do to solve this problem?

- A. Configure DHCP relay on SwitchB.
- B. Enable DHCP Snooping on SwichA.

C. Execute the dhcp enable command on SwitchA.

D. Execute the routing command SwichA.

Correct Answer: C

[HP2-Z30 VCE Dumps](#)

[HP2-Z30 Study Guide](#)

[HP2-Z30 Exam Questions](#)