

## HPE0-J80<sup>Q&As</sup>

Delta - Architecting Multi-Site HPE Storage Solutions

**Pass HP HPE0-J80 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe0-j80.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which benefit of the REST API when compared to other well-known interface methods should be presented to a customer to correctly position HPE OneView?

- A. REST API offers integrated JavaScript Object Notation (JSON) translation
- B. No state change message bus is needed to communication with HPE OneView
- C. REST API has lighter bandwidth requirements
- D. The code is compatible with all Simple Object Access Protocol (SOAP) scripts

Correct Answer: C

---

## QUESTION 2

You are designing an HPE 3PAR StoreServ environment using HPE Smart SAN Which solution components are supported? (Select two.)

- A. Emulex HBAs
- B. HPE 5900 CP switches
- C. Qlogic Fibre Channel HBAs
- D. HPE H-series SAN switches
- E. Physical 3PAR Service Processor

Correct Answer: BC

---

## QUESTION 3

What should be considered before using Jumbo Frames for iSCSI network traffic? (Select two.)

- A. They improve random I/O workloads
- B. They can have a negative impact on latency-sensitive data
- C. They improve performance of latency sensitive workloads
- D. Large sequential read and write workloads can benefit from Jumbo Frames
- E. Large sequential read and write workloads will not benefit from Jumbo Frames

Correct Answer: CD

---

## QUESTION 4

Which requirements must be considered when designing and sizing an HPE 3PAR StoreServ environment for periodic asynchronous replication?

- A. Size only the source array to account for the IOPS resulting from snapshot created by Remote Copy.
- B. Size both arrays to account for the IOPS resulting from snapshots created by Remote Copy.
- C. Use a CPG with SAS drives for Remote Copy snapshots.
- D. Size only the target array to account for IOPS resulting from snapshots created by Remote Copy.
- E. Use a CPG with nearline drives for Remote Copy snapshots.

Correct Answer: AE

---

## QUESTION 5

You begin your first presentation to a customer by positioning HPE OneView as a converged management tool. The customer requires the use of the VMware vSphere API for Storage Awareness (VASA) integration in their future management solutions.

Which HPE storage products can be used in your design to support this customer's needs? (Select two.)

- A. HPE ConvergedSystems
- B. HPE StoreEver
- C. HPE StoreVirtual
- D. HPE StoreOnce
- E. HPE 3PAR StoreServ

Correct Answer: CE

[Latest HPE0-J80 Dumps](#)

[HPE0-J80 PDF Dumps](#)

[HPE0-J80 Braindumps](#)