

## HPE0-S56<sup>Q&As</sup>

Building HPE Hybrid IT Solutions

**Pass HP HPE0-S56 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe0-s56.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which HPE tool can you use to ensure a consistent level of firmware exists across all BladeSystem interconnects and servers in an environment?

- A. InfoSight
- B. OneView
- C. Insight Remote Support
- D. iLO Federation

Correct Answer: B

---

## QUESTION 2

A customer needs the devices in their non-secure network to communicate in a secure manner. They are considering implementing Kerberos network authentication in their environment. Which impact will this have when using iLO 5 with their HPE ProLiant Gen10 servers?

- A. It will enable two-factor authentication when users log on to iLO.
- B. It will enhance iLO security by leveraging the key stored in the silicon root of trust.
- C. It will allow the servers' iLO to detect compromised firmware code.
- D. It will enable Zero Sign In to log in to iLO without entering a user name and password.

Correct Answer: D

---

## QUESTION 3

A customer has a small branch office that requires a tower-based server solution. The customer runs office-based applications and wants lights-out management capability. Which HPE server family meets the customer's needs?

- A. ProLiant ML
- B. ProLiant DL
- C. ProLiant BL
- D. ProLiant MicroServer

Correct Answer: A

---

## QUESTION 4

You are installing a rack at customer site.

How can you ensure redundant power to the rack?

- A. Install two power distribution units (PDUs) with each one connected to a power socket supplied by an independent electrical power source.
- B. Ensure 3-phase power is available in the data center.
- C. Connect an uninterruptible power supply (UPS) to redundant circuit breakers at the facility power source.
- D. Use two different power cords to connect the server to the power grid at the customer site.

Correct Answer: C

---

## QUESTION 5

You need to install 10 HPE ProLiant servers in an environment without DHCP. Which tool can you use to set up remote management?

- A. Intelligent Provisioning
- B. UEFI System Utilities
- C. Intelligent Management Center
- D. iLO 5 Configuration Utility

Correct Answer: C

[HPE0-S56 VCE Dumps](#)

[HPE0-S56 Practice Test](#)

[HPE0-S56 Study Guide](#)