

HPE2-K42^{Q&As}

Designing HPE Nimble Solutions

Pass HP HPE2-K42 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe2-k42.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

How can you check which controller is in Standby mode? (Choose two.)

- A. In WebU, select Controllers.
- B. Use the command: showsys.
- C. In WebUI, select Manage Arrays
- D. Use the command: ctrl --list

Correct Answer: CD

QUESTION 2

Following HPE best practices, when connecting a head unit to an expansion shelf, what port on the expansion shelf should you connect into?

- A. P4
- B. P1
- C. P3
- D. P2

Correct Answer: D

QUESTION 3

How do AF-Series arrays perform sequential stripe write operations?

- A. hole filling
- B. write full stripes
- C. write into zone
- D. write in place

Correct Answer: D

QUESTION 4

What is the size of a sequential stripe write for the AF-Series?

- A. 8MB

- B. 10MB
- C. 256MB
- D. 1GB

Correct Answer: B

Reference: Nimble introduction and admin.pdf

QUESTION 5

What action must be taken before the expansion shelf can join the storage pool?

- A. Capacity licenses need to be added.
- B. Controller cache needs to be upgraded.
- C. It must be activated.
- D. it must be pre-formatted.

Correct Answer: C

[HPE2-K42 Practice Test](#)

[HPE2-K42 Exam Questions](#)

[HPE2-K42 Braindumps](#)