

HPE2-K43^{Q&As}

Designing High-End HPE Storage Platforms

Pass HP HPE2-K43 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe2-k43.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

In order to implement HPE 3PAR Priority Optimization, how should the virtual volumes in the HPE StoreServ array be organized?

- A. Assign the QoS value for each individual host instead of for each virtual volume.
- B. Assign the QoS value for each individual virtual volume.
- C. Group hosts into host sets and assign a QoS value to each host set.
- D. Group virtual volumes into relevant VVsets and set QoS values to each VVset.

Correct Answer: C

QUESTION 2

How many 3PAR ASICs are onboard each HPE 3PAR StoreServ 9450 controller node?

- A. 1
- B. 2
- C. 4
- D. 8

Correct Answer: C

QUESTION 3

A customer who recently purchased an HPE 3PAR StoreServ 9450 wants to integrate their File Persona services with HPE StoreOnce.

Which feature or license does the customer need to purchase in addition to HPE StoreOnce storage?

- A. Recovery Manager Central software license
- B. No additional license is needed. The product comes with all-inclusive license
- C. Micro Focus Data Protector
- D. HPE 3PAR All-inclusive Single-storage upgraded to a Multi-storage license

Correct Answer: A

QUESTION 4

What is a mandatory configuration when using Fibre Channel on VMware ESXi hosts with HPE RMC?

- A. Disable iSCSI support on ESXi hosts.
- B. Enable iSCSI support on ESXi hosts.
- C. Configure virtual FC after relevant patches are applied to the ESXi hosts.
- D. Configure VMDirectPath I/O on both HBA ports.

Correct Answer: A

QUESTION 5

What is required in order to prevent other hosts from mounting the source volume in the Peer Motion import stage migration workflow even after the migration?

- A. Set an SCSI Buffer Queue Full on each source volume.
- B. Set a longer SCSI time-out value on each source volume.
- C. Set the SCSI time-out value to zero on each source volume.
- D. Place an SCSI-3 reservation on each source volume.

Correct Answer: C

[HPE2-K43 VCE Dumps](#)

[HPE2-K43 Exam Questions](#)

[HPE2-K43 Braindumps](#)