

HPE2-T37^{Q&As}

Using HPE OneView

Pass HP HPE2-T37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe2-t37.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

HOTSPOT

You want a server profile to be automatically applied when an HPE Synergy Compute Module is replaced.

Click the appropriate configuration option.

Hot Area:

General

Name

Description

Server profile template ✕ 🔍

Server hardware ✕ 🔍

Show empty bays

Server hardware power is on. Some server profile updates require the server to be powered off. [Power off](#) the server. [Learn more](#).

Server hardware type SY 480 Gen10 1 [Change](#)

Enclosure group EG [Change](#)

Affinity

OS Deployment

To define OS deployment settings, add a OneView Deployment Manager type OS deployment server. [Add OS deployment server](#)

Firmware

Firmware baseline

Connections

ID	Name	Network	Port	Boot
1	e1	Eth-1 Untagged	Mezzanine 3:1-a	Not bootable ✎ ✕
	Type	Ethernet		
	MAC address	94:40:C9:6C:24:24 (p)		
	Requested virtual functions	None		
	Requested bandwidth	2.5 Gb/s		
	Link Aggregation group	None		

Correct Answer:

General

Name

Description

Server profile template ✕ 🔍

Server hardware ✕ 🔍

Show empty bays

Server hardware power is on. Some server profile updates require the server to be powered off. [Power off](#) the server. [Learn more](#).

Server hardware type SY 480 Gen10 1 [Change](#)

Enclosure group EG [Change](#)

Affinity ▼

OS Deployment

To define OS deployment settings, add a OneView Deployment Manager type OS deployment server. [Add OS deployment server](#)

Firmware

Firmware baseline ▼

Connections

ID	Name	Network	Port	Boot
1	e1	Eth-1 Untagged	Mezzanine 3:1-a	Not bootable ✎ ✕
	Type	Ethernet		
	MAC address	94:40:C9:6C:24:24 (p)		
	Requested virtual functions	None		
	Requested bandwidth	2.5 Gb/s		
	Link Aggregation group	None		

Reference: https://support.hpe.com/hpesc/public/docDisplay?docId=a00100026en_usanddocLocale=en_US

QUESTION 2

Which statement about server hardware types is true?

- A. Once selected in the server profile, the server hardware type cannot be changed, and a server profile can be moved only between the same type of servers
- B. Server hardware type can be defined only for HPE Synergy and HPE BladeSystem, but it cannot be defined for HPE ProLiant or Apollo systems

C. Administrator has to manually define the server hardware type for any unique server architecture and mezzanine card combination

D. The server hardware type is automatically created when a server with unique architecture and mezzanine card configuration is added to HPE OneView

Correct Answer: A

QUESTION 3

Your customer plans to monitor HPE ProLiant DL systems and HPE BladeSystem using HPE OneView.

Which license is required to accomplish this task?

A. HPE One View Global Dashboard license

B. HPE OneView Advanced license

C. HPE composer 2 license

D. HPE OneView standard license

Correct Answer: D

QUESTION 4

Your customer asks you if it possible to perform HPE Synergy initial setup remotely. How should you respond?

A. Remote HPE Synergy setup is possible if HPE Composer 2 is used and a DHCP server is available in the management network

B. HPE Synergy can be configured remotely through a secure connection to the FLM if this option was enabled in the factory

C. HPE Synergy cannot be deployed remotely, as initial setup must be performed using a local console connection

D. Remote HPE Synergy installation can be done only if an additional set of the services was purchased together with hardware platform

Correct Answer: B

QUESTION 5

Your customer wants to use HPE OneView for VMware vCenter Server to simplify management of their VMware cluster running on HPE Synergy. The customer is concerned with the cost of additional licenses.

How will you explain licensing rules for this product?

A. As long as the customer has HPE OneView Global Dashboard deployed, HPE OneView for VMware vCenter Server does not require any additional licenses.

B. One HPE OneView for VMware vCenter Server license is required per HPE Synergy frame if more than 10 Compute Modules are installed in the frame.

C. If the number of the HPE Synergy Compute Modules installed in HPE Synergy frame is less than 10, no license is required to use HPE OneView for VMware vCenter Server.

D. As long as the server is managed using HPE OneView, the customer can use HPE OneView for VMware vCenter Server without additional licenses.

Correct Answer: B

[Latest HPE2-T37 Dumps](#)

[HPE2-T37 Practice Test](#)

[HPE2-T37 Braindumps](#)