

HPE2-T37^{Q&As}

Using HPE OneView

Pass HP HPE2-T37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe2-t37.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You are creating a Logical Interconnect Group for a three-frame HPE Synergy solution with HPE Virtual Connect SE100Gb F32 Modules for Synergy.

In which scenario should you set redundancy for master modules to be highly available?

- A. When storm control or loop protection will be enabled for Virtual Connect modules
- B. When each of the frames has two Virtual Connect modules installed
- C. When each Virtual Connect module is installed in different frame
- D. When each Virtual Connect module is installed in different fabric

Correct Answer: A

QUESTION 2

Which HPE components can be managed using HPE Composer? (Select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

Correct Answer: BD

QUESTION 3

You are creating a Logical Interconnect Group (LIG) that will be used to configure SAS connectivity. What is the maximum number of frames that can be inducted in this LIG?

- A. 2 frames
- B. 4 frames
- C. 3 frames
- D. 1 frame
- E. 5 frames

Correct Answer: D

QUESTION 4

Refer to the exhibit.

The screenshot shows the HPE OneView interface for SAN management. On the left, a table lists three SANs:

Name	SAN Manager	State
29:00:7a:2b:21:e0:00:5a	172.18.19.1	Discovered
SAN1_1	172.18.15.1	Discovered
SAN1_2	172.18.15.1	Discovered

The right pane shows the configuration for SAN1_1. The 'General' section includes:

- State: Discovered
- Type: FC
- Principal switch: 29:00:7A:2B:21:E0:00:86
- Primary SAN manager: 172.18.15.1
- Alternate SAN managers: none
- Associated networks: none

The 'Zoning Policy' section shows:

- Zoned: Yes
- Automate zoning: Yes

After adding SAN Manager to HPE OneView, you noticed that all SANs are in the discovered state. How will this affect HPE OneView storage management capabilities?

- A. Snapshot functionality will be limited only to the volumes not using these SANs.
- B. Volume presentation through server profile will work with the discovered state.
- C. Auto-zoning functionality will not work until SANs are associated with networks.
- D. Volume provisioning will only work for arrays that are accessible through these SANs.

Correct Answer: B

QUESTION 5

You are deploying HPE OneView to manage a customer's HPE ProLiant servers

Is this statement about appliance availability true?

- A. HA features for HPE OneView are enabled only if the appliance is deployed on an HPE SimpliVity cluster
- B. HPE OneView has a built-in HA feature that can be activated with an additional license
- C. HPE OneView availability relies on HA features provided by the hypervisor
- D. During hpe oneView deployment customer may select configure proprietary HA mode.

Correct Answer: C

[HPE2-T37 VCE Dumps](#)

[HPE2-T37 Study Guide](#)

[HPE2-T37 Braindumps](#)