

# HPE2-W05<sup>Q&As</sup>

Implementing Aruba IntroSpect

## Pass HP HPE2-W05 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe2-w05.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are visiting a site configured with IntroSpect, and the on-site admin tells you that they do not think that one of their database servers has fired any alerts for large download or strange access patterns. Could this be a reason? (The database server needs to be listed under Configuration>Analytics>User Correlation Config.)

- A. Yes
- B. No

Correct Answer: B

---

**QUESTION 2**

You are an administrator who made a few configuration changes in the IntroSpect Packet Processor, and a restart is required after those changes. Is this a valid method to restart the Packet Processor? (SSH into the Packet Processor, and log in as "admin" and issue the command #> shutdown -s now.)

- A. Yes
- B. No

Correct Answer: A

---

**QUESTION 3**

While discussing network security with an associate, the associate asks why a company would need internal monitoring when they have firewalls and Wireless Intrusion Protection configured. Is this an appropriate response? (You point out that while these security measures are required, there are other attack vectors in a network that are simply not protected by these.)

- A. Yes
- B. No

Correct Answer: A

---

**QUESTION 4**

Refer to the exhibit.

### AD-BASED USE CASE NAME

---

**ALERT TYPE** ▼ ALERT CATEGORY: Account Activity ▼ ATTACK STAGE: Internal Activity ▼ SEVERITY: 60  CONFIDENCE: 60

ENTITY: Source IP ▼

QUERY STRING: Enter your query

ALERT STRING TEMPLATE: \$subject\_account\_name\$ attempted to reset Bob password.

0 LOCAL MODIFICATIONS FOR THE USE CASE

---

### USE CASE DESCRIPTION

SAVE CANCEL

Which alert is not supported by AD-based use case? (Suspicious user login.)

- A. Yes
- B. No

Correct Answer: B

### QUESTION 5

Refer to the exhibit.

ANALYTICS

New Use Case Global Config

USE CASE NAME \*  
Monitoring internal account activity

ALERT TYPE \*  
Suspicious Account A...

ALERT CATEGORY \*  
Internal Access

ATTACK STAGE \*  
Internal Activity

SEVERITY 90

CONFIDENCE 60

ENTITY \* ?

QUERY STRING \*  
Type your query

ALERT STRING TEMPLATE \*  
\$subject\_account\_name\$ attempted to reset Bob password.

0 ACTIVE MODIFICATIONS EXIST FOR THE USE CASE + ADD

USE CASE DESCRIPTION \*  
Type description

SAVE CANCEL

You have been assigned a task to monitor, analyze, and find those entities who are trying to access internal resources without having valid user credentials. You are creating an AD-based use case to look for this activity. Could you use this entity type to accomplish this? (Dest IP.)

- A. Yes
- B. No

Correct Answer: A

[HPE2-W05 Practice Test](#)

[HPE2-W05 Exam Questions](#)

[HPE2-W05 Braindumps](#)