

# HPE2-Z40<sup>Q&As</sup>

Delta - Applying Aruba Switching Fundamentals for Mobility

## Pass HP HPE2-Z40 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe2-z40.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A company requires wireless services at a mid-sized campus. Which advantage do Aruba Instant Aps (IAPs) provide for such an environment?

- A. They are plug-and-play unmanaged APs that automatically support secure WLAN settings.
- B. They operate as thin APs that are automatically discovered and controlled by a mobility controller.
- C. They are controlled from a single interface without requiring the deployment of a separate controller.
- D. They include an embedded version of Aruba AirWave that makes them easy to deploy and manage.

Correct Answer: A

---

**QUESTION 2**

A company wants to deploy Aruba Instant APs (IAPs) at branch offices and have a configuration automatically deployed to the APs.

How can network administrators achieve this goal?

- A. Set up an Aruba Activate account and upload configuration templates and provisioning rules to it.
- B. Set up configuration templates on AirWave and Aruba Activate provisioning rules that direct the Aps to AirWave.
- C. Configure Aruba ClearPass to discover the APs and push configurations to them.
- D. Upload a configuration template on a management station and then connect that station to the Instant SSID.

Correct Answer: C

---

**QUESTION 3**

A company needs a modular switch that can be combined with another modular switch into a single logical fabric. Which ArubaOS switch series meets these criteria?

- A. Aruba 2930F Series
- B. Aruba 3800 Series
- C. Aruba 3810 Series
- D. Aruba 5400R Series

Correct Answer: D

---

**QUESTION 4**

Refer to the exhibit.

```
VSF-Switch# show vsf lldp-mad status
MAD device IP           : 10.1.0.2
MAD-probe portset      : 1/A1,1/B1,2/A1,2/B1,
VSF split               : No
MAD probe originator   : No
Number of probe requests sent : 0
Number of probe responses received : 0
MAD Active Fragment    : Yes
```

What does the command output in the exhibit indicate about the status of an Aruba Virtual Switching Framework (VSF) fabric?

- A. The second member of the VSF fabric has not yet joined the fabric, so LLDP-NIAD is not operational.
- B. The two members of the VSF fabric cannot contact each other, and the other member is the active member.
- C. The two members of the VSF fabric are currently connected.
- D. The two members of the VSF fabric cannot contact each other and this member is the active member.

Correct Answer: B

---

## QUESTION 5

Network administrators need to access an ArubaOS switch CLI remotely. How can the administrator ensure that all data passed between management stations and the switch is encrypted?

- A. Create an SSH key, enable SSH, and disable Telnet.
- B. Configure operator and manager passwords for Telnet access.
- C. Enable HTTPS access.
- D. Create local user accounts and enable command authorization.

Correct Answer: B

[Latest HPE2-Z40 Dumps](#)

[HPE2-Z40 Exam Questions](#)

[HPE2-Z40 Braindumps](#)