

HPE2-Z40^{Q&As}

Delta - Applying Aruba Switching Fundamentals for Mobility

Pass HP HPE2-Z40 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe2-z40.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit.



The Virtual Switching Framework (VSF) fabric and other switches connect on LACP link aggregations.

They use OSPF for routing.


What should a network administrator do to help network connectivity continue uninterrupted if the commander fails?

- A. Install a standby management module in the standby member.
- B. Enable OSPF graceful restart (non-stop OSPF) on the VSF fabric.
- C. Configure LLDP-MAD on the VSF fabric.
- D. Configure a unique OSPF router ID on the standby member OOBNI port.

Correct Answer: A

QUESTION 2

Refer to the exhibit.



The exhibit shows the physical connection between two Aruba 5400R switches and a server. The network administrator is concerned about redundancy and wants to implement a solution like that shown on the right side of the exhibit. The administrator plans to use an LACP link aggregation with both links active. What must the administrator do first?

- A. Configure an LACP link aggregation between the switches.
- B. Enable dynamic link aggregation globally on the switches.
- C. Combine the switches into a Virtual Switching Framework (VSF) fabric.
- D. Configure the same operational key on both the switches.

Correct Answer: B

QUESTION 3

Refer to the exhibit.

```
Switch-1 VSF configuration:
vsf
 member 1 type "J9850A"
   priority 128
   link 1 1/A23-1/A24,1/B23-1/B24
   link 1 name "I-Link1_1"
 exit

Switch-2 VSF configuration:
vsf
 member 2 type "J9850A"
   priority 255
   link 1 2/A23-2/A24,2/B23-2/B24
   link 1 name "I-Link2_1"
 exit
```

Switch-1 and Switch-2 have the Virtual Switching Framework (VSF) settings shown in the exhibits. The administrator then connects the switches together on the interfaces in the VSF link. The administrator first enables VSF on Switch-1 and confirms the reboot. After Switch-1 reboots, the administrator enables VSF on Switch-2 and confirms the reboot. What happens?

- A. Switch-1 and Switch-2 form a VSF fabric, and Switch-1 becomes the commander.
- B. Switch-1 and Switch-2 form a VSF fabric, and Switch-2 becomes the commander.
- C. Switch-1 and Switch-2 fail to form a VSF fabric, and all interfaces on both switches remain up.
- D. Switch-1 and Switch-2 form a VSF fabric, and all interfaces on Switch-1 are disabled.

Correct Answer: C

QUESTION 4

What is the purpose of the organization string that is set in the System > Admin settings of an Aruba Instant UI?

- A. It configures the SNMP credentials that Aruba AirWave uses to discover the cluster.
- B. It directs the cluster to the proper Aruba Activate account for Zero Touch Provisioning (ZTP).
- C. It prevents unauthorized APs, which do not have the correct organization string, from joining the cluster
- D. It defines the group and folder to which the Instant cluster should be assigned in Aruba AirWave.

Correct Answer: A

QUESTION 5

What do all devices in the same AirWave folder have in common?

- A. They share firmware auditing settings.
- B. They are viewed together in the APs/Devices page
- C. They share a configuration template.
- D. They have the same monitoring settings, such as polling settings.

Correct Answer: C

[HPE2-Z40 PDF Dumps](#)

[HPE2-Z40 VCE Dumps](#)

[HPE2-Z40 Exam Questions](#)