

# HPE6-A15<sup>Q&As</sup>

Aruba Certified Clearpass Professional 6.5

## Pass HP HPE6-A15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a15.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer would like to deploy ClearPass with these requirements: -2000 devices need to be Onboarded -2000 corporate devices need to run posture checks daily -500 guest users need to authenticate each day using the web login feature

What is the license mix that customer will need to purchase?

- A. CP-HW-5k, 2500 ClearPass Enterprise
- B. CP-HW-25k, 4500 ClearPass Enterprise
- C. CP-HW-500, 2500 ClearPass Enterprise
- D. CP-HW-25k, 4000 ClearPass Enterprise
- E. CP-HW-5k, 4500 ClearPass Enterprise

Correct Answer: B

---

**QUESTION 2**

What is the purpose of Operator Profiles?

- A. to enforce role based access control for Aruba Controllers
- B. to enforce role based access control for ClearPass Policy Manager admin users
- C. to enforce role based access control for ClearPass Guest Admin users
- D. to assign ClearPass roles to guest users
- E. to map AD attributes to admin privilege levels in ClearPass Guest

Correct Answer: C

An operator profile determines what actions an operator is permitted to take when using ClearPass Guest.

References: [http://www.arubanetworks.com/techdocs/ClearPass/CPGuest\\_UG\\_HTML\\_6.5/Content/OperatorLogins/OperatorProfiles.htm](http://www.arubanetworks.com/techdocs/ClearPass/CPGuest_UG_HTML_6.5/Content/OperatorLogins/OperatorProfiles.htm)

---

**QUESTION 3**

When is the RADIUS server certificate used? (Select two.)

- A. During dual SSID onboarding, when the client connects to the Guest network
- B. During EAP-PEAP authentication in single SSID onboarding
- C. During post-Onboard EAP-TLS authentication, when the client verifies the server certificate

- D. During Onboard Web Login Pre-Auth, when the client loads the Onboarding web page
- E. During post-Onboard EAP-TLS authentication, when the server verifies the client certificate

Correct Answer: CD

---

#### QUESTION 4

What is the purpose of RADIUS CoA (RFC 3576)?

- A. to force the client to re-authenticate upon roaming to a new Controller
- B. to apply firewall policies based on authentication credentials
- C. to validate a host MAC address against a whitelist or a blacklist
- D. to authenticate users or devices before granting them access to a network
- E. to transmit messages to the NAD/NAS to modify a user's session status

Correct Answer: E

CoA messages modify session authorization attributes such as data filters. References:  
<https://tools.ietf.org/html/rfc3576>

---

#### QUESTION 5

Which statement accurately describes configuration of Data and Management ports on the ClearPass appliance?  
(Select two.)

- A. Static IP addresses are only allowed on the management port.
- B. Configuration of the data port is mandatory.
- C. Configuration on the management port is mandatory.
- D. Configuration of the data port is optional.
- E. Configuration of the management port is optional.

Correct Answer: CD

The Management port (ethernet 0) provides access for cluster administration and appliance maintenance using the WebUI, CLI, or internal cluster communication. This configuration is mandatory.

The configuration of the data port is optional. If this port is not configured, requests are redirected to the Management port.

References: [http://www.arubanetworks.com/techdocs/ClearPass/Aruba\\_DeployGd\\_HTML/Content/1%20About%20ClearPass/Hardware\\_Appliance.htm](http://www.arubanetworks.com/techdocs/ClearPass/Aruba_DeployGd_HTML/Content/1%20About%20ClearPass/Hardware_Appliance.htm)

[Latest HPE6-A15 Dumps](#)

[HPE6-A15 PDF Dumps](#)

[HPE6-A15 Study Guide](#)