

HPE6-A29^{Q&As}

Aruba Certified Mobility Professional 6.4

Pass HP HPE6-A29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a29.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which command, when executed on a master controller, will show the APs connected to all controllers?

- A. show stm connectivity
- B. show ap active
- C. show ap database
- D. show ap bss-table
- E. show ap controller-lms

Correct Answer: C

QUESTION 2

A Remote AP provisioned in "Split-Tunnel" Forwarding mode has which characteristic?

- A. Local traffic first goes to the controller and is then spilt back to the local network.
- B. Traffic is IPSec encrypted before it is sent to the controller.
- C. The user role must have a "Permit" statement in order to locally bridge the traffic.
- D. The user role must have a "route dst-nat" statement to locally bridge the traffic.
- E. The RAP uses PAPI to send data traffic to the controller.

Correct Answer: B

QUESTION 3

An administrator creates a WLAN with an unmodified default AAA profile. What is the default role the user is placed in?

- A. default-logon
- B. logon
- C. guest-logon
- D. default-ap
- E. AP-Role

Correct Answer: B

QUESTION 4

Client #1

| Packet Rate Distribution | | | | | | | | | | | | |
|--------------------------|---------|--------|--------|---------|---------|-------|------|-------|------|-----|-----|-----|
| | 1M | 2M | 5.5M | 11M | 6M | 9M | 12M | 18M | 24M | 36M | 48M | 54M |
| Transmit Packets | 3121 | 674 | 485 | 17464 | 0 | 0 | 54 | 30 | 40 | 3 | 0 | 0 |
| Transmit Bytes | 245897 | 31009 | 31164 | 2542656 | 0 | 0 | 2745 | 1268 | 3307 | 84 | 0 | 0 |
| Receive Packets | 1426 | 444 | 149 | 6482 | 1381 | 8 | 15 | 42 | 0 | 0 | 0 | 0 |
| Receive Bytes | 1086918 | 419319 | 167840 | 7160556 | 1374603 | 10848 | 9118 | 52848 | 0 | 0 | 0 | 0 |

Client #2

| Packet Rate Distribution | | | | | | | | | | | | |
|--------------------------|------|-----|------|-----|----|----|-------|--------|---------|----------|-----|-----|
| | 1M | 2M | 5.5M | 11M | 6M | 9M | 12M | 18M | 24M | 36M | 48M | 54M |
| Transmit Packets | 26 | 1 | 0 | 3 | 0 | 0 | 74 | 352 | 2002 | 11310 | 0 | 0 |
| Transmit Bytes | 5823 | 104 | 0 | 336 | 0 | 0 | 41540 | 210192 | 1031842 | 5255904 | 0 | 0 |
| Receive Packets | 21 | 0 | 0 | 1 | 0 | 0 | 1 | 18 | 10 | 13532 | 0 | 0 |
| Receive Bytes | 6723 | 0 | 0 | 131 | 0 | 0 | 104 | 6583 | 2469 | 10536108 | 0 | 0 |

Referring to the screen captures provided for this question, what can you conclude about the two clients from the Packet Rate Distribution screens?

- A. client #1 does not support 802.11a
- B. client #2 does not support 802.11g
- C. client #1 is further from the AP than client #2
- D. client #2 is further from the AP than client #1

Correct Answer: C

QUESTION 5

When creating a firewall rule on an Aruba controller, which parameter is optional?

- A. Destination
- B. Service
- C. Source
- D. Log
- E. Action

Correct Answer: D

[HPE6-A29 PDF Dumps](#)

[HPE6-A29 VCE Dumps](#)

[HPE6-A29 Study Guide](#)