

HPE6-A42^{Q&As}

Implementing Aruba WLAN (IAW) 8

Pass HP HPE6-A42 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a42.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A company has a Mobility Master (MM)-based solution. There is a hardware issue with the MM appliance, and, as result, all connectivity is lost between the appliance and the network. The network manager is concerned about how this will impact licensing.

How will the Mobility Controller (MC) be affected?

- A. The MC maintains its current licenses for 30 days.
- B. The MC maintains only licenses that have been locally installed on it.
- C. The MC contacts Aruba Activate and uses the licensing limits defined there.
- D. The MC loses all licenses and cannot support APs or clients.

Correct Answer: C

QUESTION 2

A WLAN in an Aruba Mobility Master (MM)-based solution uses WPA2-Enterprise security. This WLAN currently authenticates users to Active Directory (AD), and users log in with their Windows domain credentials. Network administrators now want to authenticate the Windows clients as well, based on the client Computer Names.

What should the administrators do on MM to achieve this goal?

- A. Set up Machine Authentication on the WLAN.
- B. Set up Mac Authentication on the WLAN.
- C. Bind individual Mobility Controllers (MCs) to AD at the device level.
- D. Import the computer names from AD to the MM internal database.

Correct Answer: B

QUESTION 3

A network administrator configures this policy:

```
ip access-list session Guest
  user any svc-dhcp permit
  user any network 10.0.0.0 255.0.0.0 deny
  user any any permit
```

Users to which this policy applies are unable to receive IP addresses with DHCP. How should the administrator fix the issue?

- A. Change user to any in the user any svc-dhcp permit rule.

- B. Move the user any svc-dhcp permit rule to the bottom of the list.
- C. Remove the deny rule from the policy.
- D. Use the correct service alias in the user any svc-dhcp permit rule.

Correct Answer: D

QUESTION 4

An Aruba solution has a WLAN that uses WPA2-Enterprise security. How are encryption keys dynamically managed for the wireless users?

- A. The MM generates and distributes keys to clients and access points (APs).
- B. Administrators configure identical key strings on the Mobility Controllers (MCs) and wireless client 802.1X settings.
- C. Keys are generated and distributed securely during each wireless user authentication process.
- D. Keys are derived from the preshared key configured on the WLAN and on each wireless client.

Correct Answer: C

QUESTION 5

Which settings can a Mobility Master (MM) deploy to Mobility Controllers (MCs) but master controllers CANNOT deploy to local controllers?

- A. radio profiles
- B. AAA profiles
- C. VLAN settings
- D. WLAN settings

Correct Answer: A

[HPE6-A42 PDF Dumps](#)

[HPE6-A42 Exam Questions](#)

[HPE6-A42 Braindumps](#)