

HPE6-A42^{Q&As}

Implementing Aruba WLAN (IAW) 8

Pass HP HPE6-A42 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a42.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is one difference between how a network administrator can monitor clients in the Mobility (MM) interface and in the AirWave Management Platform?

- A. AirWave shows trends for the past several minutes, while MM shows longer trends.
- B. AirWave combines information from more sources, such as RADIUS authenticating servers and APs.
- C. AirWave shows the current signal level for the client connection, while MM does not show RF statistics.
- D. MM shows user and role information associated with clients, while AirWave does not.

Correct Answer: B

QUESTION 2

A company deploys an Aruba wireless solution for the first time. In which deployment is clustering supported?

- A. deployment as Mobility Masters (MMs)
- B. deployment as a standalone VMC
- C. deployment in 7000 Series standalone mode
- D. deployment in master-local mode

Correct Answer: A

QUESTION 3

A network administrator configures an Aruba Mobility Master (MM)-based solution to provide wireless access to employees. The solution must meet these criteria:

Authenticate users to a network RADIUS server

Enforce different Aruba firewall rules based on the user department

How can the administrator meet these criteria in the simplest way?

- A. Have the RADIUS server assign users in different departments to different VLANs. Apply firewall policies based on IP ranges.
- B. Have the RADIUS server send different roles for users in different departments. Apply role-based firewall policies.
- C. Create multiple zones on the MM. Assign different departments and sets of firewall policies to different zones.
- D. Create a different WLAN and SSID for each department. Apply different firewall policies to each WLAN.

Correct Answer: B

QUESTION 4

Refer to the exhibits. Exhibit 1

Exam_Guest General **VLANs** Security Access

VLAN:

[Hide VLAN details](#)

Named VLANs	
NAME	ID(S)
employee	51
guest	99
..	1,55

+

VLAN IDs							
ID	IPV4 ADDRE...	IPV6 ADDRE...	ENABLE NAT	PORT MEM...	ADMIN STATE	OPERATION...	DHCP SETTI...
99	Enabled	..	Enabled	N/A	None

Exhibit 2

Exam_Guest General **VLANs** **Security** Access



Clearpass or other external captive portal

Internal captive portal with authentication

A network administrator configures a guest WLAN on an Aruba Mobility Master (MM)-based solution. The exhibits show some of the settings for this WLAN. Which settings must the administrator configure on each Mobility Controller (MC) at the device level for this configuration to function properly?

- A. an IPsec preshared key
- B. CPsec certificates

- C. a portal page
- D. VLAN 99 IP settings

Correct Answer: D

QUESTION 5

An Aruba Mobility Master (MM)-based solution has two Virtual MM nodes, a primary and a backup node. The solution must support 30 Virtual Mobility Controllers (VMCs) that will support a total of 960 APs.

Which VMC licenses meet the needs and DO NOT unnecessarily exceed them?

- A. two 1000 VMC licenses (MC-VA-1000)
- B. one 1000 VMC license (MC-VA-1000)
- C. two 50 VMC licenses (MC-VA-50)
- D. one 50 VMC license (MC-VA-50)

Correct Answer: B

[Latest HPE6-A42 Dumps](#)

[HPE6-A42 Practice Test](#)

[HPE6-A42 Braindumps](#)