

HPE6-A44^{Q&As}

Scalable WLAN Design and Implementation (SWDI) 8

Pass HP HPE6-A44 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a44.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An administrator wants to temporarily deny login access who fail 802.1x authentication functions three or more times. Which process will the administrator need to configure?

- A. EAP termination
- B. blacklisting
- C. captive portal
- D. fail through

Correct Answer: A

QUESTION 2

An administrator creates a cluster of four Mobility Controllers (MCs). When the administrator verifies the cluster operation, the administrator notices that it is operating as an L3-connected cluster.


What should the administrator do to ensure that the cluster operates as an L2-connected cluster? (Choose two.)

- A. Include all IP addresses in the same subnets shared by the Mobility Controllers.
- B. Exclude all VLANs that are not trunked to each Mobility Controller.
- C. Verify VLAN configuration on the switch trunks that interconnects the Mobility Controllers.
- D. Configure a separate VRRP group for each cluster member.
- E. Ensure that the controller IP addresses are in the same subnet.

Correct Answer: BE

QUESTION 3

Refer to the exhibit.



An administrator implements the MultiZone feature. The administrator sets up five zones as shown in the exhibit.

- Zone A has six controllers that form a cluster.
- Zone B has three controllers that form a cluster.
- Zones C, D, and E have a single standalone controller each.

A total of 13 VAPs are created across the five zones. A zone needs to accept RAP connections from branch offices. All zones have the same AP Group name. One of the zones will not accept connections from the MultiZone APs.

Which could be a cause of this problem?

- A. RAPs are used in the configuration.
- B. The number of zones exceeds the maximum limit of four zones.
- C. AP Group names are different for each zone.
- D. The number of VAPs exceeds the maximum limit of 12 VAPs.

Correct Answer: D

QUESTION 4

In the WebUI of an Aruba Mobility Controller (MC), where can an administrator generate a tech support file that the Aruba Technical Support team can use to help customers?

- A. Diagnostics> Technical Support> System Information
- B. Maintenance> Copy logs> download logs
- C. Configuration> System> Logging
- D. Diagnostics> Technical Support> Copy Logs

Correct Answer: B

Reference: <http://community.arubanetworks.com/t5/Controller-Based-WLANs/How-do-I-generate-logs-tarwith-tech-support-information/ta-p/178198>

QUESTION 5

A cluster has two Aruba 7240 Mobility Controllers (MCs) and two Aruba 7220 Mobility Controllers (MCs). How is the cluster leader elected if all controllers have the default priority?

- A. The 7240 controller with the highest MAC address is elected.
- B. The controller with the highest IP address is elected.
- C. The controller with the highest MAC address is elected.
- D. The 7240 controller with the lowest IP address is elected.

Correct Answer: C

[Latest HPE6-A44 Dumps](#)

[HPE6-A44 PDF Dumps](#)

[HPE6-A44 Exam Questions](#)