

## HPE6-A44<sup>Q&As</sup>

Scalable WLAN Design and Implementation (SWDI) 8

### Pass HP HPE6-A44 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a44.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



Which controller shown in the exhibit is elected as the cluster leader?

- A. Controller A
- B. Controller B
- C. Controller C
- D. Controller D

Correct Answer: B

**QUESTION 2**

Refer to the exhibit.

PORT	ADMIN...	TRUST...	POLICY	MODE	NATIVE...	ACCES...	TRUNK...	SPANN...	MONIT...
GE-0/0/0	Enabled	✓	Not-def.	access	1	70	1-4094	✓	-
GE-0/0/1	Enabled	✓	Not-def.	access	1	1	1-4094	✓	-
GE-0/0/2	Enabled	✓	Not-def.	access	1	1	1-4094	✓	-
GE-0/0/3	Enabled	✓	Not-def.	access	1	1	1-4094	✓	-
GE-0/0/4	Enabled	✓	Not-def.	access	1	1	1-4094	✓	-
GE-0/0/5	Enabled	✓	Not-def.	access	1	1	1-4094	✓	-

An administrator configures a split-tunnel policy to be used by RAPs at branch offices, Under the Configuration section on the Mobility master (MM) shown in the exhibit, where should the administrator configure the split-tunnel mode so that it can be deployed to the RAPs?

- A. WLAN
- B. Roles and Policies
- C. Access Points
- D. Services

Correct Answer: C

---

### QUESTION 3

A group of users on the same floor of a campus residence experience connectivity problems continuously throughout the morning. The administrator suspects that it is a L1 problem with physical interference.

What can the administrator do to find the cause of this problem?

- A. Access a controller's spectrum analysis data directly from AirWave with Quick Links.
- B. Access RAPIDS data from AirWave's RAPIDS section.
- C. Access RAPIDS data from AirWave's dashboards, under Home.
- D. Access a controller's spectrum analysis data from AirWave's dashboards, under Home.

Correct Answer: D

---

### QUESTION 4

Which VPN component must be configured on the Mobility Master (MM) to allow a RAP to use the built-in certificate to successfully connect to a Mobility Controller (MC)?

- A. IP Address pool
- B. VPN username and password
- C. IPsec pre-shared key
- D. CPsec auto-whitelist

Correct Answer: C

---

### QUESTION 5

An administrator configures two Mobility Masters (MMs) for redundancy and database synchronization. Which protocol transports database information between the two MMs?

A. AMON

B. SNMP

C. IPSec

D. VRRP

Correct Answer: D

[Latest HPE6-A44 Dumps](#)

[HPE6-A44 VCE Dumps](#)

[HPE6-A44 Braindumps](#)