

## HPE6-A47<sup>Q&As</sup>

Designing Aruba Solutions

**Pass HP HPE6-A47 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a47.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer needs a networking solution that supports their Microsoft Skype for Business Unified Communications (UC) solution. The architect plans to use multiple Aruba APs, switches, and controllers.

The customer wants real time statistics and assessment of call quality.

Which component should the architect include to provide these services?

- A. Aruba AirWare
- B. Aruba Central
- C. Aruba Mobility Master (MM)
- D. Aruba ClearPass

Correct Answer: B

---

**QUESTION 2**

An architect proposes an Aruba solution with a hardware Mobility Master (MM) to a customer. The customer has a disaster recovery site which is connected to the main site at Layer 3. The customer requires the MM to remain available in case of a total site failure.

Which plan meets the customer requirements?

- A. Deploy a hardware MM to the disaster recovery site and set up VRRP between them.
- B. Deploy a hardware MM to the disaster recovery site and set its IP address as the standby master for MCs.
- C. Deploy the virtual MM (VMM) to the disaster recovery site and set the VMM IP address to the same address as the hardware MM.
- D. Deploy the virtual MM (VMM) to the disaster recovery site and configure clustering on the hardware and software appliances.

Correct Answer: A

---

**QUESTION 3**

An architect needs to plan the RF coverage.

Which application has the greatest potential impact on RF design?

- A. print
- B. email
- C. voice

D. secure web browsing

Correct Answer: D

---

#### QUESTION 4

An architect needs to plan a wireless deployment. The architect conducts a physical walkthrough, but still needs more information.

Which significant RF obstacle can be difficult to see visually and might require access to blueprints?

- A. fiberglass
- B. metal firewall
- C. ceiling tiles
- D. drywall

Correct Answer: A

---

#### QUESTION 5

Read this scenario thoroughly, and then answer each question that displays on the right side of the screen.

An architect proposes these products for a customer who wants a wireless and wired upgrade:

1.  
Aruba 2930M switches at the access layer
2.  
Aruba 5406R switches at the core
3.  
Aruba AP-325s
4.  
Aruba 7205 Mobility Controllers (MCs), deployed in a cluster
5.  
Aruba Mobility Master (MM)
6.  
Aruba ClearPass Cx000V
- 7.

## Aruba AirWare

The architect also needs to propose a security plan for the solution. The customer has 900 employees and up to 30 guests a day. The customer wants to protect the internal perimeter of the network with authentication and simple access controls. The customer is most concerned about wireless security, but also wants to ensure that only trusted users connect on the wire. However, the customer also wants all wired traffic to be forwarded locally on access layer switches. The customer already has a third-party firewall that protects the data center.

The customer wants to use certificates to authenticate user devices, but is concerned about the complexity of deploying the solution. The architect should recommend a way to simplify. For the most part users connect company-issued laptops to the network. However, users can bring their own devices and connect them to the network. The customer does not know how many devices each user will connect, but expects about two or three per-user. DHCP logs indicate that the network supports a maximum of 2800 devices.

Refer to the provided scenario.

Which solution should the architect recommend on the 2930M switches to authenticate and control wired employee devices?

- A. MAC-Auth on edge ports and no tunneled node
- B. 802.1X on edge ports and per-user tunneled node
- C. 802.1X on edge ports and no tunneled node
- D. Mac-Auth on edge ports and per-user tunneled node

Correct Answer: A

[HPE6-A47 Study Guide](#)

[HPE6-A47 Exam Questions](#)

[HPE6-A47 Braindumps](#)