

HPE6-A47^{Q&As}

Designing Aruba Solutions

Pass HP HPE6-A47 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a47.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

For which scenario should an architect recommend Aruba Central Managed Portal (MSP)?

- A. for a service provider who needs to monitor multi-vendor environments
- B. for an enterprise that needs to manage data center services together with the network
- C. for a service provider who needs to manage multiple customer networks
- D. for an enterprise with many branches that needs to manage services centrally

Correct Answer: D

QUESTION 2

Read this scenario thoroughly, and then answer each question that displays on the right side of the screen. An architect proposes these products for a customer who wants a wireless and wired upgrade:

1.

Aruba 2930M switches at the access layer

2.

Aruba 5406R switches at the core

3.

Aruba AP-325s

4.

Aruba 7205 Mobility Controllers (MCs), deployed in a cluster

5.

Aruba Mobility Master (MM)

6.

Aruba ClearPass Cx000V

7.

Aruba AirWare

The architect also needs to propose a security plan for the solution. The customer has 900 employees and up to 30 guests a day. The customer wants to protect the internal perimeter of the network with authentication and simple access controls. The customer is most concerned about wireless security, but also wants to ensure that only trusted users connect on the wire. However, the customer also wants all wired traffic to be forwarded locally on access layer switches. The customer already has a third-party firewall that protects the data center.

The customer wants to use certificates to authenticate user devices, but is concerned about the complexity of deploying the solution. The architect should recommend a way to simplify. For the most part users connect company-issued laptops to the network. However, users can bring their own devices and connect them to the network. The customer does not know how many devices each user will connect, but expects about two or three per-user. DHCP logs indicate that the network supports a maximum of 2800 devices.

Refer to the provided scenario. Which ClearPass licenses should the architect include in the proposal?

- A. 1,000 Access licenses and 1000 Onboard licenses
- B. 1,000 Access licenses and 3,000 (3x1000) Onboard licenses
- C. 3,000 Access licenses (3x1000) and 1000 Onboard licenses
- D. 3,000 Access licenses and 3,000 (3x1000) Onboard licenses

Correct Answer: B

QUESTION 3

An RF plan specifies wide sector directional antennas.

Refer to the antenna specifications.

H-plane refers to the Azimuth or Horizontal plane and E-plane refers to Elevation or Vertical plane.

Antenna 1: H-plane = 360; E-plane = 120

Antenna 2: H-plane = 360; E-plane = 60

Antenna 3: H-plane = 100; E-plane = 90

Antenna 4: H-plane = 60; E-plane = 60

Which antenna specifications indicate that the antenna is a good choice for the plan?

- A. Antenna 1
- B. Antenna 2
- C. Antenna 3
- D. Antenna 4

Correct Answer: B

QUESTION 4

An architect proposes an Aruba wireless solution for a customer that uses Microsoft Skype for Business. What should be set up on the MCs, or MM, to ensure that wireless voice traffic is properly prioritized?

- A. Firewall policies and SDN to mark voice

- B. Broadcast suppression combined with AirGroup
- C. Airtime Fairness set to fair-access
- D. Voice-aware Layer 3 roaming

Correct Answer: D

QUESTION 5

An architect plans to implement an Aruba wireless solution with several Mobility Controllers (MCs) and a Mobility Master (MM) architecture. Wireless users run Skype for Business, a Unified Communications (UC) solution. The architect plans to use the Aruba SDN capabilities to integrate with the UC solution.

What helps to support high availability specifically for the SDN services?

- A. a redundant master MC
- B. backup controllers defined on the APs
- C. a cluster deployment for MCs
- D. a redundant MM

Correct Answer: D

[HPE6-A47 PDF Dumps](#)

[HPE6-A47 Study Guide](#)

[HPE6-A47 Braindumps](#)